



Southland Tool Mfg. Inc.

SEWER EQUIPMENT GUIDE



PUMA Manhole Extraction Equipment

Debris Baskets, Grit Catchers		
Sewer Scoops, Choppers, Hose Grabbers, Pronged Grabbers, Spoons, Shovels	Page 2,3,4	
Fiberglass Poles Sets, Telescopic Poles	Page 5	
Foam Filled Poles, Aluminum Poles, Pole Grabbers Pole Mirrors, Pole Carriers	Page 6	
Telescopic Grabbers, Steel Grabbers, Gulley Grabbers	Page 7	

Jet & Vacuum Tools

Puma Grabber, Handi-Clams, Jetting and Vacuum Machine Accessories, Hose Guides, Rollers	Page 8,9
Hydro-Excavation Tools, Vac-Traps, Crowns, Drop Manhole Bridges	Page 10,11,12
Industrial Vacuum Equipment	Page 13,14
Hydraulic Root Cutters, Motors Kits, Skids	Page 15,16,17,18,19,20
Diamond Tap Cutters, Arrow Cutters, PVC Cutters, Special Saws, Carbide Saws	Page 21
Nozzle Extensions Finned, 6 Wire Skid, 4 Wire Skid, Football Style, Proofers	Page 22,23

Sewer Rodding Tools & Accessories

Sectional Sewer Rods	Page 24
Rodding Tools, Accessories	Page 25
Rod Cleaning Tools, Corkscrews, Augers	Page 26
Saws For Rodding	Page 27
Saw Blades Only, Concave, Flat, Spiral, Colorado	Page 28
Porcupines, Brushes, 3 Blade Cutters	Page 29
Power Drive Rod Turning Machine, Manhole Guides Set Up, Carry All Trailer	Page 30
Continuous Rods Guide Tools and Accessories	Page 31
Continuous Rod, Loading Rack, Rods and Tool Adapters	Page 32
No. 5 Plumbing Rods and Tools	Page 33
"B" Rods And Tools, Coiled Spring Items, Ball Valves, 90° Swivels	Page 34
Manhole Hooks, Sand Traps, Insert Nozzle Guide, Magnet	Page 35
Manhole Safety Covers (Big Red), Manhole Lifters	Page 36

SOUTHLAND TOOL MFG. INC.

Innovative Tools for Municipalities



PUMA TOOLS

DEBRIS BASKETS, CATCHERS, SCOOPS, GRABBERS

FLAT	LEVES !	FOR SKIMMINGALIONING ELAPLAREAS	
FT-8	6" _{6"}		242.0
FT-8	8" 8"		253.0
FT-10	10"10"	FLAT TRAP BASKET 10" WIDE X 6" HIGH FOR QUICK CONNECT FIBERGLASS POLES 2	263.0
FT-12	12"12"	FLAT TRAP BASKET 12" WIDE X 8" HIGH FOR QUICK CONNECT FIBERGLASS POLES 3	342.0
FT-15	15"15"	FLAT TRAP BASKET 15" WIDE X 8" HIGH FOR QUICK CONNECT FIBERGLASS POLES 3	368.0

BEBRIS BASKETS TO USE WHITH FIBERS GLASS FOR QUE 6" _{6"} 8" 8" DEBRIS BASKET 166" FORT BUKKLAS NAGCES FIBERGLASS POLES DEBRIS BASKETT8" FORT- BULKEL A SUNDO DETS-IBERGLASS POLES DB-8 **DB-10** 10"10" DEBRIS BASKET 100 FOOR BURGLASS POLES **DB-12** 12"12" DEBRIS BASKET122'FOORF (BERCOLASON NO CESFIBERGLASS POLES DEBRIS BASKET155'FORF BURGLOSINDCESFIBERGLASS POLES **DB-15** 15"15" 18"18" DEBRIS BASKET188'FOORF LOUR ROLLOON NO LOTS FIBERGLASS POLES DB-18

DEBRIS GRITT CANTCHERRISTOLUSER/WITH HEIBERGICASSSPORGES

	A CHAIN	OMIGITATIO: POSSES STITIS PERSONS DECO	888333	
DB-68	6" 6"	DEBRIS GRITCHTCHEROGFOOR IQUINCHASS VINDES	\$	275.00
DB-88	8" 8"	BEBRIS GRITCATCHER 8FPOR GERSK SON RECEPTIBERGLASS POLES	\$	290.00
DB -108	10"10"	BEBRIS GRIT CATCHER 190 FPBRIGERS & CONRULES FIBERGLASS POLES	\$	305.00
BB-128	12"12"	REBRIS GRIT CATCHER 12" FOR FIRERGLASS ROLES FIRERGLASS POLES	\$	350.00
DB-1555 DB-1555 DB-1855 DB-2455 DB-245	15"15"	BEBRIS GRIT CATCHER 15 FOR BERGLASS ROLES FIBERGLASS POLES	\$	395.00
XB-188	10,18"	BEBRIS GRIT CATCHER 18 FOR BERLY CON DECEMBERGLASS POLES	\$	460.00
DB-248	18" _{24"} 24"	DEBRIS GRIT CATCHER 19° FOR FIBERGLASS POLES FIBERGLASS POLES	\$	615.00
DB-245	24	DEBRIS GRIT CATCHER 19" FOR QUICK CONNECT EIRERGLASS POLES		

DEBRIS BASKET199'FOOF GERSLOSINDEFSFIBERGLASS POLES

Includes Solid Half Bottom And Back To Catch The Grit DEBRIS BASKGTTWTH-254ROREF

DB-24

24"24"

DEBRIS BASKEII WITH 25 TRUPE							
DBR =6	6" 6"	DEERHIS BASSEE F 6 WWHERE PE		\$	225.00		
BBR-8	8" 8"	PEBRASASKEP"8WWHARDDE		\$	235.00		
BBR=18	10" ^{10"}	PEBBLASBASKEE 19"WWH BOPSEE		\$	250.00		
RBB-13	12"12"	DEBRIS BASKET 12" WITH BOPE		\$	285.00		
XXX-15	15" 15" 18"	DEBRIS BASKET 15 WITH ROPE.		\$	330.00		
DBR-18	15 18"	DEBRIS BASKET 18" WITH ROPE"		\$	400.00		
BBR-28	18" _{24"}	DEBRIS BASREFT J. SWYLL R. BREPE		\$	530.00		
DBR-24	24"	DEBRIS BASKET 19" WITH ROPE					

DEBRIS GRIT CATCHER WITH 25' ROPE

BERSIS CRIT	GERRISTICATON VOLT CHER 6 WITH ROPE
DBR-68 6" 8"	DEEBRISCORNITCAATOHER 8"6WWHTHOREPE
DBR-86 S 8" 10"	DEERRESSORRITCEATCHER 18" WITH ROPE
DBR-10S 10"12"	DEED RESOURT TO SACHER 121 ON WHITE OR ODDE
DBR=158 12"15"	DEERHOS GRATICO A CHERCASI 2 WWINTEN OR REPE
DBR-188 15"18"	PEERKIS GRATIC & JAFUE IR AN WITH PORTURE
PBR-788 18"24"	PEERKS CRATECTO TO THE REPORT OF THE REPORT

DBR-24S 24" DEBRISCHER SAIGHTER STORMAND BACK TO Catch The Grit***

DEBRIS	S C	YLIN	NDER***Includes Solid Half Bottom And Back To Catch The Grit**
DEBRIS	S C	₽LII	NDERIS CYLINDER FOR 6" PIPE
DC-6	6"	8"	DEEDRESSOCY INDER FOR R" 6" I PEPE

DC-8	6" 8"	DEPARTMENT OF THE PROPERTY OF THE PERTY OF T
DC-8 0	8" 10"	DEEBRASSOCY LIND BER OF BROS "FIFTREE
DC-10	10"12"	DEEBROSCY LINDER & OB 621 OF IPEPE
DC-12	12"	DEBRIS CYLINDER FOR 12" PIPE

FA-1 DEBRIS BASKET POLE ADAPTER
DEBRIS BASKET POLE ADAPTER






255.0

275.0

315.00





ALUMINUM DEBRIS TRAPS, LIGHT AND NON-CORROSIVE ALUMINUM

ADT-6	6"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-8	8"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-10	10"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-12	12"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-15	15"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES
ADT-18	18"	ALUMINUM DEBRIS/SAND TRAP FOR USE WITH FIBERGLASS POLES



SCOOPAS-STRONG HEAVY DUTY MADE TO FIT IN SEWER INVERT TO CATCH DEBRIS, ZINC PLATED

SC-4	4"	SCOOPA FOR FIBERGLASS POLES
SC-6	6"	SCOOPA FOR FIBERGLASS POLES
SC-8	8"	SCOOPA FOR FIBERGLASS POLES
SC-10	10"	SCOOPA FOR FIBERGLASS POLES
SC-12	12"	SCOOPA FOR FIBERGLASS POLES



SCOOPA SCREENS KEEPS DEBRIS FLOW FROM SPILLING OVER BACK OF TOOL. GOOD FOR CATCHING ROOTS. ZINC PLATED

SCCS-6	6"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-8	8"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-10	10"	SCOOPA SCREEN FOR FIBERGLASS POLES
SCCS-12	12"	SCOOPA SCREEN FOR FIBERGLASS POLES



CHOPPER

LC-9 6" CURVED CHOPPER FOR FIBERGLASS POLES. GREASE LOG CHOPPER NOW WITH
CURVED SIDE TO BETTER PUSH MATERIAL. THESE CHOPPERS ARE VERY SHARP AND
CAN CHOP UP WOOD AND GREASE OR MUD OR ANYTHING YOU WANT. ZINC PLATED



SEWER HOSE GRABBERS

HG-1 8" WIDE IMPROVED HOSE GRABBER FOR FIBERGLASS POLES, ANGLE ENDS TO ALLOW

EASY ENTRY FOR HOSE. THIS TOOL IS GREAT FOR PUSHING DOWN ON THE HOSE AS THE NOZZLE COMES OUT OF LINE. KEEPS IT HORIZONTAL. 1/4" THICK STEEL. ZINC PLATED.

SHT-1 7" WIDE OPPOSITE HOSE GRABBER, OPPOSING C HOOKS GRAB HOSE IN MIDDLE AND TWIST FOR EASY GRABBING. ALLOWS YOU TO MOVE THE HOSE FROM SIDE TO SIDE OR

PUSH ON IT IN ANY DIRECTION. MADE OF STRONG %" SPRING STEEL, ZINC PLATED.



All tools come standard with Quick-Connect Ends. Threaded ends for our poles available (Add "T" to end of part # and add \$10.00)

DEBRIS GRABBERS, HOOKS, CLAWS, SHOVELS, SPOONS, MAGNETS

4 PRONGED DEBRIS GRABBER

8" WIDE 4 PRONGED DEBRIS GRABBER - PULLS OUT ROOTS, ROCKS, 4PG-1

DEBRIS FROM MANHOLE. ZINC PLATED

3 PRONGED DEBRIS GRABBER

3PG-1 6" WIDE 3 PRONGED DEBRIS GRABBER. SAME AS ABOVE BUT 3 PRONGS. EACH

PRONG IS MADE OF STRONG SPRING STEEL. THESE ARE SHARP AND WILL PUNCTURE

A CAN OR GRAB FIBROUS ROOTS. ZINC PLATED

BITZ RAKE

BITZ-R 12" LONG BITZ RAKE. GREAT FOR GETTING MATERIAL OUT OF INVERTS AND CAN BE

INSERTED INTO PIPE FOR CATCHING HANGING MATERIAL. ZINC PLATED

GRABBER CLAW

CLAW FOR ATTACHING TO POLES. INCLUDES CLAW, ROPE, PVC STAY, ONE-WAY CLEAT, CRW-1

HARDWARE AND ALL YOU NEED TO CONNECT TO OUR FIBERGLASS POLES. EXTENDS TO

24' OR MORE DEPENDING ON THE LENGTH YOU NEED. JUST ADD MORE POLES

RAKES

SR3-1 3 PRONGED 90° RAKE. GREAT FOR GRABBING ROOTS FROM SEWER OR STORM DRAINS.

FITS OUR FIBERGLASS POLES AND IS MADE OF HARD SPRING STEEL WITH SHARPENED,

POINTED ENDS. ZINC DIPPED FOR CORROSION RESISTANCE.

SPOONS

PS-1 9" DIA. ROUNDED CATCH BASIN SPOON. CONNECTS TO ALL OUR POLES THIS IS A 9"

> DIAMETER STEEL SPOON THAT WILL SCOOP OUT LARGER AMOUNTS OF MUC AND DEBRIS. FITS ANY LENGTHS OF FIBERGLASS POLES. ALSO USED ON OUR WOOD

HANDLED SEWER SPOONS, ZINC PLATED

9" DIA. WESTERN STYLE SPOONS ARE GREAT WITH NICE STRONG BENT ANGLED FLAT WSS-1

PART AND TURNED UP EDGES THAT IS IDEAL FOR CLEANING OUT THOSE HARD TO GET

AREAS. ALSO USED ON OUR WOOD HANDLE SPOONS (SEE PAGE 7) ZINC PLATED

HOOK

GH-1 GRAPPLING HOOK WITH 25' OF POLY ROPE, 3 PRONGS. GOOD FOR RETRIEVING LARGE

DEBRIS OR SCALING FORTRESS WALLS. MADE OF 3/8" DIA. SPRING STEEL THAT WILL HOLD UP TO THE JOB. LIFT OVER 200 lbs. ZINC DIPPED FOR CORROSION RESISTANCE.

All tools come standard with Quick-Connect Ends. Threaded ends for our poles available



3

CAMERA HOOKS

CAM-1 CAMERA GAFFING HOOK. TESTED TO 200 LBS (LEFT) CAM-2 SMALL DIAMETER CAMERA GAFFING HOOK 3" (RIGHT)

Made of strong spring steel and cold bent to the right hook design. Connects to our fiberglass

poles. Red ball on end is removable. Zinc Plated

2" SIDE TO SIDE CAMERA SWIVEL HOOK. Easy to turn to get around harness or bridel this SSCAM-1S

camera hook articulates so you can get the hook into any position you want by moving and

turning your pole.



ENVIROTYPE CAMERA LIFTING HOOK WITH SIDE PICK UP BARS AND POLE ADAPTER. ECL-1

This will lift your envirosight camera easily. Now you can have more control when grabbing this

type of rover camera. Zinc Plated



SEWER MAGNET

SEWER MAGNET, 100LB CAPACITY, AN OVERALL METAL RETRIEVER. Great tool for SMAG-1

retrieving that lost tool, can lift valve. Covers come with steel protective plate to protect

magnet. Zinc Plated

SHOVELS

INVERT SHOVEL ATTACHMENT - Attaches to all our pole systems, great for SIS-1


digging, moving debris in invert. Nice rounded side makes it perfect to fit in an 8"

invert. Black Steel

FS-IT FLAT SHOVEL ATTACHMENT - Attaches to all our pole systems, this flat

shovel is great for scraping well sides and chopping up floating debris. Black

Steel



Works well in areas where you need to slide and puncture debris. Black Steel



PIKE POLE ATTACHMENT

PP-125 PIKE POLE ATTACHMENT FOR POLES. Tough like firefighters the pike pole

attachment is made of cast steel. Painted Black



All tools come standard with Quick-Connect Ends. Threaded ends for our poles available (Add "T" to end of part # and add \$10.00)

POLE SETS FOR PUMA LINE OF TOOLS

FIBERGLASS POLES STANDARD WEIGHT ORANGE QUICK CONNECT

STD-3	3'	SINGLE MALE X FEMALE POLE
STD-6	6'	SINGLE MALE X FEMALE POLE
STD-18	18'	SET OF 2 MALE X FEMALE POLE AND ONE RUBBER END POLE
STD-21	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLE
STD-24	24'	SET OF 3 MALE X FEMALE POLE AND ONE RUBBER END POLE
STD-6R	6'	SINGLE 6' FEMALE X RUBBER END POLE
STD-12R	12'	SINGLE 12' POLE WITH FEMALE END X RUBBER END POLE



TELESCOPIC FIBERGLASS POLES

EXT-1	8'-16'	FIBERGLASS EXTENSION POLE 8'-16'
EXT-2	8'-24'	FIBERGLASS EXTENSION POLE 8'-24'
EXT-3	6'-12'	FIBERGLASS EXTENSION POLE 6'-12'



STEEL REINFORCED FIBERGLASS POLES (SUPER STIFF) QUICK CONNECT

STD-3ST	3'	SINGLE MALE X FEMALE POLE
STD-6ST	6'	SINGLE MALE X FEMALE POLE
STD-21ST	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLES
STD-24ST	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE



FOAM FILLED POLES FOR EXTRA STRENGTH AND SAFETY QUICK CONNECT

11-0	0	SINGLE MALE AT LIMALE TOLL
FF-6	6'	SINGLE MALE X FEMALE POLE
FF-8	8'	SINGLE 8' MALE AND FEMALE
FF-21	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLES
FF-24	24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE
FF-6R	6'	SINGLE 6' FEMALE X RUBBER END POLE



THREADED ENDS - FIBERGLASS POLES STANDARD WEIGHT ORANGE

3'	SINGLE MALE X FEMALE POLE
6'	SINGLE MALE X FEMALE POLE
18'	SET OF 2 MALE X FEMALE POLES AND ONE END RUBBER POLE
21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLE
24'	SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE
6'	SINGLE 6' MALE X RUBBER END POLE
12'	SINGLE 12' POLE WITH MALE END X RUBBER END
7'-14'	FIBERGLASS EXTENSION POLE 7'-14'
	6' 18' 21' 24' 6' 12'



THREADED ENDS – STEEL REINFORCED FIBERGLASS POLES (STRONGEST POLE AVAILABLE OUT THERE)

STD-3STT	3'	SINGLE MALE X FEMALE POLE
STD-6STT	6'	SINGLE MALE X FEMALE POLE
STD-18STT	18'	SET OF 2 MALE X FEMALE POLE & 1 POLE MALE X RUBBER END
STD-21STT	21'	SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLE
STD-24STT	24'	SET OF 3 MALE X FEMALE POLE AND ONE RUBBER END POLE



THREADED POLES CONT...

THREADED ENDS - FOAM FILLED POLES FOR EXTRA STRENGTH

FF-3T	3'	SINGLE MALE X FEMALE POLE
FF-6T	6'	SINGLE MALE X FEMALE POLE

21' 24' FF-21T

SET OF 3ea. 6' AND 1ea. 3' MALE X FEMALE POLES SET OF 3 MALE X FEMALE POLES AND ONE RUBBER END POLE FF-24T

SINGLE 6' FEMALE X RUBBER END POLE FF-6RT

ALUMINUM POLE WITH ALUMINUM QUICK CONNECT ENDS

AP-6	6'	ALUMINUM POLE WITH ALUMINUM QUICK CONNECTS ENDS MXF
AP-12	12'	SET OF 2 MALE X FEMALE ALUMINUM POLES, 12' TOTAL SET OF 3
AP-18	18'	MALE X FEMALE ALUMINUM POLES, 18' TOTAL SET OF 4 MALE X
AP-24	24'	FEMALE ALUMINUM POLES. 24' TOTAL

CUES® TYPE FIBERGLASS POLE

FBP-6

CTP-5	5'	CUES® TYPE 5' POLE-PUSH BUTTON TYPE
CTP-5FF	5'	CUES® TYPE FOAM FILLED POLE - PUSH BUTTON TYPE
CTP-FS	5'	CUES® TYPE FOAM STANDARD POLE WITH STEEL FEMALE
CTP-5FS	5'	CUES® TYPE FOAM FILLED POLE WITH FEMALE STEEL ENDS

REAR DOOR POLE CARRIERS

FBP-4 4 PIECE FIBERGLASS POLE BRACKET. Comes with bottom pegged rest and two brackets with tight stays to keep poles steady. All Aluminum Mounts to back door.

6 PIECE FIBERGLASS POLE BRACKET. Comes with bottom pegged rest and two brackets with grip tight stays to keep poles steady. All Aluminum mounts to back door.

SINGLE POLE CARRIERS

SDS-1 HIGH QUALITY CAST DESIGN FOR CARRYING A SINGLE POLE. One side is a closed circle.

DOUBLE CARRIER WITH RUBBER GASKET TO PROTECT THE POLE. The other side is an SDS-2 open half-moon with a pull-tight and locking rubber strap to keep poles in place.

POLE INSPECTION MIRRORS

All come with Male Quick Connect End to fit our poles

IMR-1	4" X 6" SEWER MIRROR COMPLETE WITH PADDED COVER WITH VELCRO
IMR-2	6" X 6" SEWER MIRROR COMPLETE WITH PADDED COVER WITH VELCRO
IMR-3	8" X 10" SEWER MIRROR COMPLETE WITH PARRED COVER WITH VELCED





CLAW TELESCOPE POLE GRABBERS

12' LONG GRABBER WITH SPRING LOADED CLAW ACTION TELESCOPIC GWCT-12 FIBERGLASS POLE EXTENDS FROM 6'-12'


15' FIBERGLASS POLE EXTENDS FROM 7'-15' GWCT-15 16' FIBERGLASS POLE EXTENDS FROM 8'-16' GWCT-16 24' FIBERGLASS POLE EXTENDS FROM 8'-24' GWCT-24





STEEL DEBRIS GRABBER

15' LONG STEEL TELESCOPIC GRABBER PRONG EXTENDS FROM 5' TO 15' SGP-15 SGP-21 SGP-24





GULLEY GRABBER is great for removing mud, silt, leaves, stones or any other object that might have fallen down a hole. The hinged bowl opens wide and within its own circumference so you can get at items in restricted areas, the bowl is water tight. It comes in 3 sizes: 5.5", 6.5" and 8.5"

Available in lengths, 6' 12' or 18'. if you buy a 18' footer then you can use it as a 6' or 12'. All break down and are "UPS'ABLE"

GG-5-6 5.5" BOWL - 6' LONG GULLEY GRABBER (ONE PIECE) GG-5-12 5.5" BOWL - 12' LONG GULLEY GRABBER (TWO PIECE) 5.5" BOWL - 18' LONG GULLEY GRABBER (THREE PIECE) GG-5-18

GG-6-6 6.5" BOWL - 6' LONG GULLEY GRABBER (ONE PIECE) GG-6-12 6.5" BOWL - 12' LONG GULLEY GRABBER (TWO PIECE) GG-6-18 6.5" BOWL - 18' LONG GULLEY GRABBER (THREE PIECE)

GG-8-6 GG-8-12 GG-8-18 8.5" DIA. BOWL - 6' LONG GULLEY GRABBER (ONE PIECE 8.5" DIA. BOWL - 12' LONG GULLEY GRABBER (TWO PIECE) 8.5" DIA. BOWL - 18' LONG GULLEY GRABBER (THREE PIECE)









PUMA GRABBER

The Puma Grabber is a one of a kind tool on the market. It allows you to pick up debris in small confined spaces in catch basins and pits and wet walls and more from the surface level. The lower end has 3 opposing sharpened prongs that are actuated by the top handle. Once you open the prongs, you then can push down on top handle that closes the prongs and grabs. Raising the tool, the weight of the item in the prongs, keeps the prongs closed. Knockdown so it's


shipped parcel.

PMA-6S	6' LONG	PUMA GRABBER 6' LONG WITH 8" JAWS (1 PIECE)
PMA-8S	8' LONG	PUMA GRABBER 6' LONG WITH 8" JAWS (1 PIECE)
PMA-10S	10' LONG	PUMA GRABBER 10' LONG WITH 8" JAWS (2 PIECE)
PMA-12S	12' LONG	PUMA GRABBER 12' LONG WITH 8" JAWS (2 PIECE)
PMA-15S	15' LONG	PUMA GRABBER 15' LONG WITH 8" JAWS (3 PIECE)
PMA-18S	18' LONG	PUMA GRABBER 18' LONG WITH 8" JAWS (3 PIECE)
PMA-20S	20' LONG	PUMA GRABBER 20' LONG WITH 8" JAWS (4 PIECE)



HANDI-CLAMS ONE PIECE OR KNOCKDOWN MODELS - 12" -16" BUCKETS

The HANDI-CLAM is one of the most popular tools on the market for sewer/catch basin/pit cleaning. The lower end has 2 clams shell shaped buckets that are actuated by the top handle and close tight when you lock the handle. The big advantage is that we make these knockdown models so you do not have to pay high truck freight rates for a HANDI-CLAM over 8ft long. So when you buy a 12 clam it comes in two sections that are easily put together by the enclosed instructions. Plus you can use the clam as a 6 footer or 17 footer.



These can be ordered in a one piece configuration also. (EXPENSIVE TO SHIP OVER 8') and you must specify at time of order that you want a single piece clam. Extra packing and shipping charges apply for truck shipments.

CATCH BASIN SPOON ASSEMBLIES WITH FIBERGLASS POLES

FS-6	6'	CATCH BASIN SPOON WITH ONE 6' FIBERGLASS POLE
FS-12	12'	CATCH BASIN SPOON WITH 12' FIBERGLASS POLES (2 POLES)
FS-18	18'	CATCH BASIN SPOON WITH 18' FIBERGLASS POLES (2 POLES)

WOOD HANDLE SPOONS

PS-6	6'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-8	8'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-10	10'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (ONE PIECE)
PS-102	10'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-122	12'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-162	16'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (TWO PIECE)
PS-183	18'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (THREE PIECE)
PS-203	20'	1.5" THICK ASH HANDLE AND CATCH BASIN SPOON (THREE PIECE)

OSH STYLE "WESTERN PATTERN" WOOD HANDLE SPOONS

PS-60S	6'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-80S	8'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-100S	10'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-1020S	10'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-120S	12'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (ONE PIECE)
PS-1220S	12'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)
PS-1620S	16'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (THREE PIECE)
PS-1820S	18'	WESTERN PADDLE SPOON WITH 1.5" THICK ASH HANDLE (TWO PIECE)



8

JETTING AND VACUUM TOOLS AND ACCESSORIES

SEWER HOSE PROTECTION EQUIPMEN

SAMR-1 UPPER MANHOLE ROLLER GUIDE (36" ALUMINUM) WITH NYLON ROLLER SAMR-48 SAME AS ABOVE BUT WITH 48" LEGS SASR-1 UPPER MANHOLE ROLLER GUIDE (STEEL CONSTRUCTION WITH NYLON ROLLER UPPER MANHOLE "Y" ROLLER WITH ROOM FOR 8" SUCTION TUBE DPTR-1 OPENS UP IN MIDDLE FOR EXTRA ROOM. HINGED SO YOU CAN USE AS CLOSED STANDARD OR OPEN "Y" UPPER MANHOLE ROLLER GUIDE (ALUMINUM) ALUMINUM ROLLER SAMA-1 ADJ-2-S ADJUSTABLE TOP SAFETY ROLLER. ALL STEEL CONSTRUCTION WITH LATERAL WINGS FOR SAFETY AND TO HOLD POLES CONNECTED TO BOTTOM ROLLER SJS-1 TIGER TAIL 3" X 36" SJS-2 TIGER TAIL 2" X 36" HEAVY DUTY TIGERTAIL PUMA HOSE GUIDE 3" SJS-HD Smooth bore rubber hose, steel banded cuffs, king clamp rope lasts 10X longer than standard Tiger Tails SJ2-HD HEAVY DUTY PUMA HOSE GUIDE 2" ADJUSTABLE TOP MANHOLE ROLLER. ADJ-1 Tubular Steel sides to Manholes from 24" to 36". Opposing brackets grab manhole ring. 3" Gap when opened up allows you to insert hose without taking apart ANTI-SPLASH MANHOLE ROLLER GUIDE FOR 24" SSC-24 SSC-36 ANTI-SPLASH MANHOLE ROLLER GUIDE FOR 36" All aluminum construction with nylon roller and thick 3/8" Polycarbonate eliminates possibility of getting splashed by sewer water

or falling in the manhole opening

CORRUGATED PIPE ROLLER ROLLER FOR CORRUGATED PIPE PROTECTS YOUR HOSE WHEN CLEANING WHEN STR-1 YOU NEED TO DROP YOUR HOSE OVER AN ELEVATED ROAD TO CLEAN A CULVERT THIS WILL PROTECT YOUR HOSE FROM SCRAPES AND SHREDDING LOWER MANHOLE ROLLER GUIDES GTT-7 TIGER TAIL 5 ROLLER GUIDE. WITH 25' ROPE ALL ALUMINUM LOWERS YOUR HOSE AND NOZZLES INTO SEWER PIPE. PROTECTS HOSE, LIGHTWEIGHT AND EASY TO USE. 5 POLYPROPYLENE ROLLERS LOWER CAMERA ROLLER, ALL ALUMINUM WITH 4 OFFSET ROLLERS, 2 REMOVABLE LCR-5 TO FEED CABLE THROUGH, MOVABLE SHOE FOR STANDARD FIBERGLASS POLES OR CUES STYLE PUSH BUTTON POLES ARTICULATING ROLLER GUIDE ABLE TO GUIDE HOSE OVER AND UNDER EXPOSED SDA-2 PIPE. BENDS IN THE MIDDLE SO THAT YOUR HOSE WON'T GET RIPPED UP BY CORRUGATED STEEL PIPE 9 ROLLERS AND 2 HOSE STAYS ASSURE YOUR HOSE STAYS IN POSITION. COMES WITH 25' NYLON ROPE 729-A COMPACT LOWER MANHOLE ROLLER. STEEL. WITH 4 YELLOW POLYURETHANE. ROLLERS. SAFETY ORANGE WITH TOP ADAPTER FOR FIBERGLASS POLE (3/16" STEEL 13"L X 15"H) SHDS-1 ALUMINUM LOWER MANHOLE ROLLER GUIDE SHOE - FOR LARGER LINES (4 NYLON ROLLERS) 3/4" THREADED CONNECTION. POLES NOT INCLUDED (21 1/2 x 21 1/2) SHDS-1ST SAME AS ABOVE BUT STEEL CONSTRUCTION LOWER MANHOLE EASEMENT ROLLER, ALLOWS OPERATOR TO CHANGE DIRECTION LMER-1 OF HOSE IN MANHOLE THAT HAS DENIED ACCESS. THIS TOOL/ROLLER ALLOWS YOU TO TURN THE HOSE 90° DELRIN ROLLER SPINS ON 2 SEALED BEARINGS SSR-5 STAKE ROLLER FOR HOSE TO GO AROUND BENDS HARDENED POINT AND HEAD. SPADE TO KEEP FROM TURNING HGR-1 HOSE GUIDE ROLLER-GRABBER FOR FIBERGLASS POLES HGR-1T HOSE GUIDE ROLLER-GRABBER FOR THREADED POLES HOSE IS CRADLED IN LOWER HOOKS TO ALLOW YOU TO LAUNCH THE REPLACEMENT NOZZLE WITH ROLLER ALREADY IN PLACE DELRIN REPLACEMENT ROLLER BLACK

PR-1

FE-1

PR-1Y YELLOW POLYURETHANE REPLACEMENT ROLLER

DELRIN REPLACEMENT ROLLER WITH 2 INTEGRATED SEALED BEARINGS PR-1-WB

POLE ADAPTER. CONNECTS TO 3/4" THREADED NPT FOR ABOVE GUIDE SHOE ROLLERS TO OUR QUICK CONNECT FIBERGLASS POLES

> 10 **Southland Tool Catalog**

DROP MANHOLE BRIDGE

DMB-1 DROP MANHOLE BRIDGE FOR 8" SEWER LINE and UP 48" LONG BRIDGE

(This is our most commonly used size. Made for a crawler with a 6" width)

(Includes Pole Connector & 25' Rope for leveling)

DMB-1S DROP MANHOLE BRIDGE FOR 6" SEWER LINE. 48" LONG BRIDGE

(This is our smallest bridge)

(Includes Pole Connector & 25' Rope for leveling)

DMB-2 DROP MANHOLE BRIDGE FOR 8" SEWER LINE. 60" LONG BRIDGE

(Includes Pole Connector & 25' Rope for leveling)

DMB-3 DROP MANHOLE BRIDGE FOR 10" SEWER LINE. 48" LONG BRIDGE

(Includes Pole Connector & 25' Rope for leveling)

DBM-4 DROP MANHOLE BRIDGE FOR 12" SEWER LINE. 48" LONG BRIDGE

(Includes Pole Connector & 25' Rope for leveling)

DMB-1-24 DROP MANHOLE BRIDGE KIT.

(Includes: Set of 24' Long Poles STD-24) CHOOSE EITHER 6" OR 8" SIZE PIPE.

Part#: DMB-1-24-6 FOR 6"Part#: DMB-1-24-8 FOR 8"





DEEP MANHOLE TUBE HOLDER (PAT. PEND.)

DTH-8 8" B" DEEP TUBE HOLDER. USE TO LOWER TUBES INTO MANHOLE. FOR 36" DTH-6 6" DEEP TUBE HOLDER. USE TO LOWER TUBES INTO MANHOLE. FOR 36"

DTH-50 8" 8" DEEP TUBE HOLDER. EXTENDED ARM TO 50" LENGTH
DTH-60 8" 8" DEEP TUBE HOLDER. EXTENDED ARM TO 60" LENGTH



CROWN NOZZLE REDUCERS/EXCAVATOR CUFFS / ELBOWS / TUBE CLAMPS

RCN8SS 8" X 5.5" Crown Nozzle Reducer 12" Long. Vactor

RCN8SSC 8" X 5.5" Crown Nozzle Reducer 12" Long. Camel female band lock x reduced crown RCN8SSV 8" X 5.5" Crown Nozzle Reducer 12" Long. Vac-All male band lock x reduced crown



CROWN NOZZLE REDUCERS WITH CUFF FOR HYDROEXCAVATION/EXCAVATOR CUFFS

RCUFF8FF 8" X 6" Hydro Excavator Reducer Cuff 8" Flat Flange x 6" Kanaflex Cuff

RCUFF8CT 8" X 6" Hydro Excavator Reducer Cuff 8" Bandlock Female (Camel) x 6" Kanaflex Cuff RCUFF8JT 8" X 6" Hydro Excavator Reducer Cuff 8" Bandlock Male (Vac-All) x 6" Kanaflex Cuff

SCUFF8 8" X 8" Hydro Excavator Straight Cuff 8" Flat Flange x 8" Kanaflex Cuff



CN908FF 8" Flange Short Radius 90° Elbow with Flat Flange x Crown Nozzle. All Aluminum EL98FF 8" Flange Short Radius 90° Elbow with Flat Flange x Flat Flange. All Aluminum EL458FF 8" Flange Short Radius 45° Elbow with Flat Flange x Flat Flange. All Aluminum







BEST IDEA EVER FOR YOUR SUCTION MACHINE - VAC TRAPS!

Vac-Traps are a Patent Pending item invented by David Pryor the owner of Southland Tool Mfg. So please do not accept any imitations, but only the best, from the source.

Southland Tool Inc. makes a variety of Vac-Trap Debris Catchers. The idea behind the Vac-Trap is to keep the water in the sewer line where it belongs and remove only debris.

When you are vacuuming the debris coming down the sewer you usually are using a crown nozzle elevated above the flow on the down stream side of the invert. This accepted way of suctioning debris means you remove a great deal of water from the sewer line that requires you to either, decant or dump the water, along with the debris. Decanting takes time, if you have the set up, and dumping water along with debris is expensive and inefficient.

The Vac-Trap allows you to keep the water in the sewer where it belongs. Just clamp on the correctly sized Vac-Trap to the end of your suction tube and lower into the invert. The sewer debris flows through it and traps the debris but lets the water filter out. You don't even have to run your PD or fan, just let the trap do the work on its own.

Once the trap is full and you see the water start to back up then simply turn on your pump and instantly vacuum the trap clean, then you're ready to start again. The Vac-trap pays for itself in just a few uses. Think of the savings of not having to run your suction pump continuously, not having to waste time to de-cant or dump later on.

Now you can fill your tank with 80% debris and only 20% water.

VACTOR FLAT FLANGE TYPE

FULL FLOW

BT-6	6"	6" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-8	8"	8" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-10	10"	10" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-12	12"	12" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-15	15"	15" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-18	18"	18" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-24	24"	24" VAC-TRAP FOR 8" VACTOR SUCTION TUBE FLAT FLANGE

VACTOR FLAT FLANGE TYPE (With Grit Covers)

HALF MOON-CATCHES SAND

VACIO	<u> </u>	TEAROL THE (WITH ONE OOVERS)
BT-6S	6"	6" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-8S	8"	8" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-10S	10"	10" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-12S	12"	12" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-15S	15"	15" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-18S	18"	18" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE
BT-24S	24"	24" VAC-TRAP GRIT FOR 8" VACTOR SUCTION TUBE FLAT FLANGE

CAMEL STYLE FEMALE END

FULL FLOW

CT-6	6"	6" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-8	8"	8" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-10	10"	10" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-12	12"	12" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-15	15"	15" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-18	18"	18" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END
CT-24	24"	24" VAC-TRAP FOR 8" CAMEL TYPE FEMALE END

CAMEL STYLE FEMALE END (With Grit Covers)



CT-8S	8"	8" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-10S	10"	10" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-12S	12"	12" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-15S	15"	15" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-18S	18"	18" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END
CT-24S	24"	24" VAC-TRAP GRIT FOR 8" CAMEL TYPE FEMALE END

VAC-ALL MALE COUPLING END

FULL FLOW



VAC-ALL MALE COUPLING END (With Grit Covers) HALF MOON-CATCHES SAND

JT-6S	6"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-8S	8"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-10S	10"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-12S	12"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-15S	15"	VAC-TRAP GRIT FOR 8" VAC-ALL MALE END
JT-18S	18"	VAC-TRAP GRIT FOR 8: VAC-ALL MALE END

ADD "6" TO END OF PART #3 FOR 6" UP-TUBE FOR ANY VAC-TRAP. SAME PRICE





"DIG IT" HYDRO-EXCAVATING TOOLS

HYDRO-EXCAVATOR TOOL "DIG-IT" Is a lightweight attachment for your sewer hose, with sewer hose size (3/4" or 1") and suction tubes sizes (6' OR 8'). The wet ring has either 4, 8 or 10 replaceable stainless steel jets according to your GPM and PSI. Jets are slightly angled and zero degrees. Bottom rubber cuff provides protection.

PART NO.	MACHINE	TUBE SIZE	HOSE	JETS	PRICE
HY-EX-8V4-3/4	VACTOR/VAC-CON	8"	3/4	4	
HY-EX-8V8-3/4	VACTOR/VAC-CON	8"	3/4	8	
HY-EX-8V10-3/4	VACTOR/VAC-CON	8	3/4	10	
HYH-EX-8V4-1	VACTOR/VAC-CON	8"	1	4	
HYH-EX-8V8-1	VACTOR/VAC-CON	8"	1	8	0
HYH-EX-8V10-1	VACTOR/VAC-CON	8"	1	10	
HY-EX-8C4-3/4	CAMEL	8"	3/4	4	
HY-EX-8C8-3/4	CAMEL	8"	3/4	8	
HY-EX-8C10-3/4	CAMEL	8"	3/4	10	
HY-EX-8C4-1	CAMEL	8"	1	4	
HY-EX-8C8-1	CAMEL	8"	1	8	
HY-EX-8C10-1	CAMEL	8"	1	10	
HY-EX-8J4-3/4	VAC-ALL	8"	3/4	4	
HY-EX-8J8-3/4	VAC-ALL	8"	3/4	8	61
HY-EX-8J10-3/4	VAC-ALL	8"	3/4	10	
HY-EX-8J4-1	VAC-ALL	8"	1	4	
HY-EX-8J8-1	VAC-ALL	8"	1	8	
HY-EX-8J10-1	VAC-ALL	8"	1	10	
ALL ARE AVAILA	BLE IN 6" TUBE SIZE.	ADD "6" AFTER HY-	EX. SAME PR	RICE AS 8	

HYDRO-VAC TUBE HOLDER AND HANDLES

TWO HAND STYLE

HYH-4 4" HYDRO -VAC TUBE HOLDER WITH 2 HANDLES FOR 4" TUBE OR HOSE HYH-6 6" HYDRO -VAC TUBE HOLDER WITH 2 HANDLES FOR 6" TUBE OR HOSE HYH-8 8" HYDRO -VAC TUBE HOLDER WITH 2 HANDLES FOR 4" TUBE OR HOSE



ONE HAND VACTOR STYLE

HYH-6-VS 6" 6" VACTOR STYLE WITH LARGER HANDLES FOR 6" TUBE OR HOSE HYH-8-VS 8" VACTOR STYLE WITH LARGER HANDLES FOR 8" TUBE OR HOSE



ONE HAND VACTOR STYLE

HYH-8-WH 8" 8" TUBE CLAMP VACTOR STYLE WITH ADJUSTABLE HOOK TYPE CLAMP



TUBE HOSE CLAMPS (KEEPS YOUR HOSE STEADY AT EVERY CONNECTION)

THV-8 TUBE HOSE CLAMP VACTOR/VAC-CON 8"

THC-8 TUBE HOSE CLAMP CAMEL/VAC-ALL 8"



INDUSTRIAL HYDRO VACUUM EQUIPMENT

Industrial Vacuum Tools And Attachments Make Your Life Safer and Easier For Your Employees

Do you feel safe when vacuuming? Do you want your safety to be in your hands? Don't get caught not having this item in your safety program. It is essential and necessary for all vacuum operators to have control of the force of vacuum.

Industrial Vacuum Users Will Easily See The Benefits Of The Safety Shutter Nozzle. It Allows You To Control The Flow Of Vacuum At The Point Of Entry. With Just A Push Of A Lever You Can Completely Release The Vacuum Flow Or You Can Control The Amount Of Suction To The End Of The Nozzle.

4" SAFETY SHUTTER SUCTION NOZZLE FOR 4" FLEX HOSE GPSS-4BL

Designed for 4" Flex Hose That Will Slip Over The Smooth Connection End. Hose Will Swivel When Connected To Allow For Easy Positioning Of The Nozzle

GPSS-6BL 6" SAFETY SHUTTER SUCTION NOZZLE FOR 6" FLEX HOSE

Same As Above But For 6" Flex Hose

GP-TRI TRI-POD FOR SAFETY SHUTTER SUCTION NOZZLES

The Tri-Pod Allows You To Set Up The Safety Nozzle For Hands Free Operation. It Works With The 4" or 6" Nozzle And Is Great For Pushing Material

To The Inlet Essential Making It A One-Man Job

EXTENSION HANDLE FOR SAFETY GP-EXT

The 3' Extension Handle Connects To The Safety Nozzle Allowing You to Stand Up Straight To Take The Strain Off Your Back. Removing The Extension Handle

Allows You To Use The Safety Nozzle In Tight Confined Areas.

2' X 6" EXTENSION TUBE FOR GP22-6BL GP-62 **GP-63** 3' X 6" EXTENSION TUBE FOR GP22-6BL **GP-42** 2' X 4" EXTENSION TUBE FOR GP22-6BL

3' X 4" EXTENSION TUBE FOR GP22-6BL **GP-43**

> All Aluminum tube extension. The suction inlet of the safety nozzle to suck underwater or in any area where you need to extend the inlet.

6" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE GP-DR-6 4" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE. GP-DB-4

The Duckbill Nozzle is great for larger areas where extra width for liquids or slurry

might be needed. Special end connects directly to end of safety nozzle with clamp

GP-DB-FF8 8" DUCKBILL NOZZLE FOR SAFETY SHUTTER SUCTION NOZZLE WITH 8" FLAT FLANGE

SPECIALTY VACUUM FITTINGS/CLAMPS/ADAPTERS

8" FLAT FLANGE X 6" FLEX HOSE ADAPTER WITH RING TO CONNECT TO BAND LOCK CLAMF 8FFX6FH

AND HOSE. YOUR HOSE WILL SWIVEL ON THIS ADAPTER. HOSE NOT INCLUDED





TRANSITION COUPLERS CHANGE ONE TYPE TUBE TO ANOTHER

8FFX8BLF 8" FLAT FLANGE X 8" FEMALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES TO YOUR BAND LOCK MALE COUPLING. ZINC PLATED

8FFX8BLM 8" FLAT FLANGE X 8" MALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES

TO YOUR BAND LOCK/CAMEL FEMALE COUPLING. ZINC PLATED

6FFX6BLF 6" FLAT FLANGE X 6" FEMALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE

TUBES TO YOUR BAND LOCK MALE COUPLING. ZINC PLATED

6" FLAT FLANGE X 6" MALE BANDLOCK COUPLER. CONNECTS YOUR FLAT FLANGE TUBES 6FFX6BLM

TO YOUR BAND LOCK/CAMEL FEMALE COUPLING. ZINC PLATED



TRANSITION REDUCER COUPLERS CHANGE ONE TYPE TUBE TO ANOTHER

8" X 6" FLAT FLANGE REDUCER COUPLING. ZINC PLATED 8FFX6FF

REDUCES YOUR 8" FLAT FLANGE TUBES TO 6" FLAT FLANGE TUBES

8" FLAT FLANGE X 6" NPT THREADED TRANSITION COUPLING 8FFX6NPT

6" BAND LOCK FEMALE X 4" MALE NPT THREAD 6BLFX4NPT

8" FLAT FLANGE REDUCER TO 6" BAND LOCK FEMALE COUPLER REDUCES YOUR 8" FLAT FLANGE TUBES TO YOUR 6" MALE END 8FFX6BLF

BAND LOCK TUBES



8" FLAT FLANGE REDUCER TO 6" BAND LOCK MALE COUPLER 8FFX6BLM REDUCES YOUR 8" FLAT FLANGE TUBES TO YOUR 6" FEMALE END

BAND LOCK TUBES



COUPLERS X HOSE SHANK END FOR YOUR VACUUM MACHINES

8" FLAT FLANGE X 8" HOSE ADAPTER. CONNECTS YOUR 8" FLANGE VACUUM TUBES 8FFX8HA

TO AN 8" KANAFLE TYPE VACUUM HOSE

8" FLAT FLANGE X 8" HOSE ADAPTER. CONNECTS YOUR 6" FLAT FLANGE VACUUM TUBES 6FFX6HA

TO AN 6" KANAFLE TYPE VACUUM HOSE

8" FLAT FLANGE X 6" HOSE ADAPTER REDUCER. ALL STEEL WITH MOUNTING HOLES 8FFX6HA

ZINC PLATED AND 7.5" OVERALL LENGTH (HOSE NOT INCLUDED)





FLANGED DOUBLE HOSE SHANK REDUCER. 8" TO DOUBLE 4". OPENING FOR 4" HOSE.

8FFX44DD 8" FLAT FLANGE X DOUBLE 4" HOSE CONNECTORS. ONE WITH SAFETY GRID INCLUDED

FOR FREE AIR APPLICATION. 8" OVERALL LENGTH AND ZINC PLATED

8FFX44ME 8" FLAT FLANGE X DOUBLE 4" HOSE CONNECTOR WITH ONE 4" THREADED NPT MALE END

TUBE CLAMPS

S16584 8" VACTOR STYLE QUICK CLAMP. ADJUSTABLE TRIANGLE HOOK AND TRIMLINE HANDLE

\$690-0073 6" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE

S680-0015 8" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE

S680-0015WLC 8" VAC-CON STYLE QUICK CLAMP. OPEN HOOK ADJUSTABLE AND TRIMLINE HANDLE

With safety pin locking device which prevents latch from opening

S42588WLC 8" BANDLOCK STYLE TUBE CLAMP With safety pin locking device which prevents latch from opening

S42587 6" BANDLOCK STYLE TUBE CLAMP

S42588 8" BANDLOCK STYLE TUBE CLAMP











HYDRAULIC ROOT SAW CUTTERS (MOTORS & KITS)

PUMA "HD" HIGH DISPLACEMENT HYDRAULIC ROOT SAW CUTTER

SOUTHLAND TOOL Offers you the "PUMA" HD ROOT CUTTER MOTOR as our standard cutter. Don't be fooled by smaller blue motors that offer only a fraction of the power that this high displacement motor offers. It has higher cutter force to plow into roots, grease, protruding taps and other stoppages. These units fit our front flanged EZ-SKIDS as seen below with 4 bolt in front and 2 bolt in the tail Nozzle. The profile of this cutter is designed for lines from 6" and up. The motor can accommodate hose sizes of 3/4" and 1" with flow from 35 to 80 gpm and pressure from 2000 to 3000 psi. Rated up to a maximum of 235 lbs. of torque.

PUMA ROOT CUTTER KIT AS FOLLOWS:

SHYK-1 1" PUMA "HD" HIGHER DISPLACEMENT, 1" HYDRAULIC ROOT SAW MOTOR KIT INCLUDES: 4

easy skids of 6", 8, 10" and 12". 4 HD concave root saws for 6", 8", 10" and 12", also includes 1"

HUB, Arbor turn tool, tool box and maintenance instructions.

SHYK-3/4 3/4" SAME KIT AS ABOVE BUT FOR 3/4" SEWER HOSE



MOTORS-PARTS AND CHUCKS (FOR SAW BLADES Y CUTTERS SEE PAGES 19,26,27)

SHYM-1	1"	PUMA "HD" HIGHER DISPLACEMENT, 1" HYDRAULIC ROOT SAW MOTOR AND TAIL NOZZLE
SHYM-3/4	3/4"	PUMA "HD" HIGHER DISPLACEMENT, 3/4" HYDRAULIC ROOT SAW MOTOR AND TAIL NOZZLE
TNPM	1"	TAIL NOZZLE REPLACEMENT ONLY
SKP-1R	1"	REPAIR KIT FOR PUMA MOTOR - INCLUDES SEALS, THRUST BEARING AND RACE
GERP-1	1"	GEROTOR FOR PUMA MOTOR
RSH-1A	1"	ROOT SAW HUB FOR ROOT CUTTER. FOR STANDARD 1/8" THICKNESS SAW BLADES
RSH-1B	1"	ROOT SAW HUB FOR ROOT CUTTER. FOR HEAVY DUTY 3/16" THICKNESS SAW BLADES
3BHC-1	1"	3 BLADE CHUCK FOR ROOT CUTTER. FLAT AND CURVED BLADES SOLD SEPARATELY

EZ ROOT CUTTER SKIDS FOR PUMA "HD" MOTORS

EZ ROOT CUTTER Skids are designed to skid over the motor and bolt down to the front flange and the 2 side bolts in the tail nozzle Skid size is stampted into the fins. NO MORE LOSING THE SKIDS OR MIXING THEM UP.

is starripte	su illito tile	IIIIS, NO MORE LOSING THE SKIDS OR MIXI
SS-6	6"	6" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-8	8"	8" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-10	10"	10" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-12	12"	12" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-15	15"	15" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-18	18"	18" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-20	20"	20" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-22	22"	22" EZ ROOT CUTTER SKID WITH 6 RAILS.
SS-24	24"	24" EZ ROOT CUTTER SKID WITH 6 RAILS.





Hen

DONUT SKIDS

S950-108 FRONT 4 BOLT SKID DONUT FOR PUMA MOTOR







S950-109

REAR 2 BOLT SKID DONUT FOR PUMA MOTOR

17

January 2019

SRRC-1H SUPER "RED HOT" EXTENDED DUTY HYDRAULIC ROOT CUTTER MOTORS

SRRC-1H 1" ROUND BODY SUPER "RED HOT" HEAVY DUTY BEARING HYDRAULIC ROOT SAW MOTOR. This

motor has been specially machined for a Heavy Duty thrust bearing that performs better for extended life, smooth running and reduced maintenance problems. This larger steel bearing absorbs the constant pounding of the shaft when plowing into root masses and stoppages. This motor fits all round body skids including

Patriot and Smart Cutters.

The round profile of the cutters allows it to enter sewer lines from 4" and up. The motor can accommodate hose sizes of 1" and 3/4" with flow from 35 to 80 gpm and pressure from 2000 to 3000 psi. Rated up to maximum of 235 lbs. of torque and 175 lbs. at continuous operation. This tool has the power to clean while the bearing can take a beating and keep on ticking. This motor beat all competitor motors.

SRRC-3/4H 3/4" SAME AS ABOVE BUT FOR 3/4" HOSE.

SRRK-1H 1" STANDARD ROUND BODY KIT With 4 skids and 4 saws 6", 8", 10" and 12"

SRRK-3/4H 3/4" SAME AS ABOVE BUT FOR 3/4" HOSE.

SRRC-1P ROUND BODY SUPER "GREEN MACHINE" HYDRAULIC MOTOR

SOUTHLAND TOOL "SUPER GREEN MEANIE" Round Body root cutting motor is a superior cutting and ripping tool for cleaning roots, cutting taps and destroying other debris and buildup found in all sewer lines. The round profile of this motor allows it to be used in 4" pipes and up for either 3/4" or 1" Hose. Flow from 35 to 80 gpm and pressure from 1750 to 3000. 235 lbs. of torque. buy this motor only to replace your worn out Patriot or smart cutter green motor and use the green skids you have or buy our

skids, standard or wheeled.

SRRC-1P 1" ROUND BODY SUPER GREEN MEANIE 175lb. Torque motor replaces your patriot

and smart cutters. This unit fits all of your patriot and smart cutter style skids

Equipment Company.

SRRC-3/4P 3/4" **SAME AS ABOVE BUT FOR 3/4" HOSE.**

SRRK-3/4, 1 1" STANDARD ROUND BODY KIT With 4 Skids and 4 saws 6", 8", 10" and 12"



SRRK-14-15W

CITIZEN ROUND BODY "SUPER GREEN MACHINE" WHEELED KIT (Above) for pipe from 4" to 15" includes: Motor, Heavy Duty concave root saws of 4", 6", 8", 10" 12" and 15". 4" Round ring set, 6" Skid, 8", 10" adjustable wheeled skid, 12", 15" wheeled skids, 1" Hub for saws, turning maintenance tool, tool box and instructions.

SKIDS FOR ROUND BODY "RED" AND "GREEN" ROOT CUTTER MOTORS

RRS-4 4" 4" RING SET FOR ROUND BODY ROOT CUTTER RBS-6 6" SKID FOR ROUND BODY ROOT CUTTER 6" 8" SKID FOR ROUND BODY ROOT CUTTER 8" RBS-8 RBS-10 10" SKID FOR ROUND BODY ROOT CUTTER RBS-12 12" SKID FOR ROUND BODY ROOT CUTTER SKID FOR ROUND BODY ROOT CUTTER RBS-15 15' SKID FOR ROUND BODY ROOT CUTTER RBS-18 18" 20" SKID FOR ROUND BODY ROOT CUTTER RBS-20 SKID FOR ROUND BODY ROOT CUTTER RBS-24 24" ADJUSTABLE WHEELED SKID FOR ROUND 8"-10" APS-1 BODY MOTORS ADJUSTS FROM 8" - 10" APS-2 12"-15" ADJUSTABLE WHEELED SKID FOR ROUND

BODY MOTORS ADJUSTS FROM 12" - 15"





18

"HI-TORQUE" S906 HEAVY DUTY CONTRACTOR DUTY HYDRAULIC ROOT CUTTER

Southland Tools' S906M is the largest and most powerful of the Southland Tool Hydraulic motor line up. This "Hi-Torque" motor features a *Gerotor* design that internally lowers resistance and allows the motor to operate more efficiently while producing maximum cutting results.

The S906M Series of motors have all steel thrust bearing with robust roller that can handle the higher pressure loads of larger pumps and heavy cleaning in larger lines. This motor has long been referred to as the "Contractor Duty" motor as it holds up well under intense use for longer periods of time. Designed for lines from 6" to 30" the motor comes in 3/4", 1" and 1.25". It can handle flows of 10 to 170 gpm and pressure of 1500 to 3000 psi. It is rated to a maximum torque of 288 lbs. and 220 lbs. of continuous torque which is required for cutting taps in larger sizes.



HI-TORQUE HYDRAULIC ROOT SAW CUTTER KITS AND MOTORS

S906K-1 "Hi-Torque" Hydraulic root saw motor includes: 4 easy skids of 6", 8", 10" and 12". 4 HD Concave root saws for 6", 8", 10 and 12", also includes 1" Hub, Arbor turn tool, tool box and maintenance instructions.

S906K-3/4 Same as above but for 3/4" hose.
S906M-1 HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1" SEWER HOSE
S906M-3/4 HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 3/4" SEWER HOSE
S906M-1.25 HI-TORQUE HYDRAULIC ROOT CUTTER MOTOR ONLY FOR 1.25" SEWER HOSE



HI-TORQUE "ADVANCED KINETICS" CORROSION RESISTANT MOTOR

The S906M-AK series of motors is Southland Flagship motor. This motor is built for the same platform as the standard S-906M motor but has an infusion process at the cellular level applied to the internal parts that make it silky smooth to turn and ideal for recycler units, this process improves hydraulic performance and almost eliminates internal corrosion. This process known as "Advanced Kinetics" used a patented finish that improves coefficient allowing parts to run smoother which reduces drag, saves water and increases productivity. Known to sit for weeks with water inside and still turns.





SKIDS FOR HI-TORQUE S906M STYLE ROOT CUTTERS

STSS-6	6"	6" EASY ROOT CUTTER SKID WITH 6 RAILS
STSS-8	8"	8" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-10	10"	10" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-12	12"	12" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-15	15"	15" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-18	18"	18" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-20	20"	20" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-22	22"	20" EASY ROOT CUTTER SKID WITH 3 RAILS
STSS-24	24"	24" EASY ROOT CUTTER SKID WITH 3 RAILS



19 January 2019

"PURPLE DEBRIS EATER" LATERAL ROOT CUTTER MOTORS FOR SMALLER LINES

Southland Tool "PURPLE DEBRIS EATER" Lateral root cutter motor packs a punch as it uses high torque and low speed to grind up grease and rip through roots in smaller 3" to 8" lines. Sized for 1/2", 3/4" or 1" hose it can accommodate pressures from 900 to 2000 psi and flows from 20 to 80 gpm. These purple motors can be bought alone or in kits. Skids are one piece design so they are easy to install.

S903K-1/2 1/2" LATERAL MOTOR KIT INCLUDES: Concave saws from 3" to 8" and 3"

set of rings and EZ skids of 4", 6" and 8". Arbor turning tool, Allen

wrench, Tool box and Maintenance instructions

S903K-3/4 3/4" LATERAL MOTOR COMPLETE KIT AS ABOVE BUT FOR 3/4" HOSE S903K-1 1" LATERAL MOTOR COMPLETE KIT AS ABOVE BUT FOR 1" HOSE S903M LATERAL MOTOR ONLY. PLEASE SPECIFY WITH 1/2", 3/4" OR 1"



ROOT CUTTER SKIDS AND RINGS FOR PURPLE DEBRIS EATER LATERAL CUTTER MOTOR

LKS-3 LATERAL ROOT CUTTER SKID RING SET FOR 3" PIPE

LKS-4 LATERAL ROOT CUTTER SKID FOR 4" PIPE LKS-6 LATERAL ROOT CUTTER SKID FOR 6" PIPE LKS-8 LATERAL ROOT CUTTER SKID FOR 8" PIPE

RSH-5B 5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW 3BHC-2 3 BLADE CHUCK FOR 5/8" HYD. ROOT CUTTER

ROOT CUTTER HUBS/CHUCK FOR 1" SHAFT MOTORS

RSH-1A 1" HUB FOR HYDRAULIC ROOT CUTTER STD. SAW 1/8" RSH-1B 1" HUB FOR HYDRAULIC ROOT CUTTER HD. SAW 3/16"


RSH-5B 5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW FOR 3/16 SAW BLADE RSH-5C 5/8" HUB FOR HYDRAULIC ROOT CUTTER SAW FOR 1/8 SAW BLADE

3BHC-1 3 BLADE CHUCK FOR 1" HYD. ROOT CUTTER


GOPHER SKIDS

GFR-6 6" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR GFR-8 8" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR GFR-10 10" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR GFR-12 12" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR GFR-15 15" GOPHER ROOT SAW SKID ASSEMBLY WITH FRONT RING AND REAR COLLAR









SPECIALTY ROOT SAW BLADES CALCIUM CUTTER AND TAP CUTTERS

CARBIDE TIPPED CONCAVE ROOT SAWS

SCS-6	6"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-8	8"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-10	10"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-12	12"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY. 3/16" THICK
SCS-15	15"	CARBIDE TIPPED CONCAVE ROOT SAW BLADE ONLY, 3/16" THICK



SCFS-6	6"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-8	8"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-10	10"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-12	12"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY. 3/16" THICK
SCFS-15	15"	CARBIDE TIPPED FLAT ROOT SAW BLADE ONLY, 3/16" THICK



SCS-6W	6"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-8W	8"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-10W	10"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-12W	12"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW
SCS-15W	15"	CARBIDE TIPPED AND CARBIDE WRAPPED CONCAVE ROOT SAW



SCFS-6W	6"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-8W	8"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-10W	10"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-12W	12"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW
SCFS-15W	15"	CARBIDE TIPPED AND CARBIDE WRAPPED FLAT ROOT SAW

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

SUPER DUTY LARGE DIAMETER CONCAVE ROOT SAWS WITH SPOKES AND 1" HUB

SCRS-12	12"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-15	15"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-18	18"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-20	20"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-22	22"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB
SCRS-24	24"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB

SUPER DUTY LARGE DIAMETER FLAT ROOT SAW WITH SPOKES AND 1" HUB

SFRS-12	12"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-15	15"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-18	18"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-20	20"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-22	22"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-24	24"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB
SFRS-30	30"	FLAT HD SAW WITH 3 SPOKES AND 1" HUB

SUPER DUTY LARGE DIAMETER CARBIDE TIPPED ROOT SAWS WITH SPOKES AND 1" HUB

SCRS-12HD	12"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-15HD	15"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-18HD	18"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-20HD	20"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-22HD	22"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED
SCRS-24HD	24"	CONCAVE HD SAW WITH 3 SPOKES AND 1" HUB, CARBIDE TIPPED

DIAMOND TAP CUTTERS

DTC-6	6"	DIAMOND TAP CUTTER
DTC-8	8"	DIAMOND TAP CUTTER
DTC-10	10"	DIAMOND TAP CUTTER
DTC-12	12"	DIAMOND TAP CUTTER
DTC-15	15"	DIAMOND TAP CUTTER

PVC TAP CUTTER

	<u> </u>	
CTS-6	6"	PVC TAP CUTTER
CTS-8	8"	PVC TAP CUTTER
CTS-10	10"	PVC TAP CUTTER
CTS-12	12"	PVC TAP CUTTER
CTS-15	15"	PVC TAP CUTTER
CTS-18	18"	PVC TAP CLITTER

ARROW DIAMOND TIPPED CUTTER (CALCIUM CARBONATE CUTTER)

ADC-6	6"	ARROW DIAMOND POINT CUTTER
ADC-8	8"	ARROW DIAMOND POINT CUTTER
ADC-10	10"	ARROW DIAMOND POINT CUTTER
ADC-12	12"	ARROW DIAMOND POINT CUTTER
ADC-15	15"	ARROW DIAMOND POINT CUTTER













NOZZLE EXTENSIONS 1" - 3/4" - 1/2"

SSE-1	STRAIGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 1" X 13" LONG
SSE-3/4	STRAIGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 3/4" X 13" LONG
SSE-1/2	STRAIGHT STYLE LIGHTWEIGHT NOZZLE EXTENSION 1/2" X 13" LONG

4-FINNED NOZZLE EXTENSIONS 1"

FE-41	4"	1" X 4" 4 FINNED NOZZLE EXTENSION
FE-61	6"	1" X 6" 4 FINNED NOZZLE EXTENSION
FE-81	8"	1" X 8" 4 FINNED NOZZLE EXTENSION
FE-101	10"	1" X 10" 4 FINNED NOZZLE EXTENSION
FE-121	12"	1" X 12" 4 FINNED NOZZLE EXTENSION
FE-151	15"	1" X 15" 4 FINNED NOZZLE EXTENSION

4-FINNED NOZZLE EXTENSIONS 3/4"

FE-434	4"	3/4" X 4" 4 FINNED NOZZLE EXTENSION
FE-634	6"	3/4" X 6" 4 FINNED NOZZLE EXTENSION
FE-834	8"	3/4" X 8" 4 FINNED NOZZLE EXTENSION
FE-1034	10"	3/4" X 10" 4 FINNED NOZZLE EXTENSION
FE-1234	12"	3/4" X 12" 4 FINNED NOZZLE EXTENSION

4-FINNED NOZZLE EXTENSIONS 1/2"

FE-412	4"	1/2" X 4" 4 FINNED NOZZLE EXTENSION
FE-612	6"	1/2" X 6" 4 FINNED NOZZLE EXTENSION
FE-812	8"	1/2" X 8" 4 FINNED NOZZLE EXTENSION
FE-1012	10"	1/2" X 10" 4 FINNED NOZZLE EXTENSION
FF-1212	12"	1/2" X 12" 4 FINNED NOZZI E EXTENSION

6-FINNED HEAVY DUTY NOZZLE EXTENSIONS

FE-61-6	6"	1" X 6" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-81-6	8"	1" X 8" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-101-6	10"	1" X 10" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-121-6	12"	1" X 12" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-151-6	15"	1" X 15" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION
FE-181-6	18"	1" X 18" 6 FINNED, 3/16" THICK HEAVY DUTY EXTENSION

6-WIRE NOZZLE EXTENSIONS 1"

<u> </u>		<u> </u>
WNE-41	4"	1" X 4" 6 WIRE NOZZLE EXTENSION
WNE-61	6"	1" X 6" 6 WIRE NOZZLE EXTENSION
WNE-81	8"	1" X 8" 6 WIRE NOZZLE EXTENSION
WNE-101	10"	1" X 10" 6 WIRE NOZZLE EXTENSION
WNE-121	12"	1" X 12" 6 WIRE NOZZLE EXTENSION
WNE-151	15"	1" X 15" 6 WIRE NOZZLE EXTENSION
WNE-181	18"	1" X 18" 6 WIRE NOZZLE EXTENSION
WNE-201	20"	1" X 20" 6 WIRE NOZZLE EXTENSION
WNE-241	24"	1" X 24" 6 WIRE NOZZLE EXTENSION

6-WIRE NOZZLE EXTENSIONS 3/4"

<u> </u>		<u> </u>
WNE-434	4"	3/4" X 4" 6 WIRE NOZZLE EXTENSION
WNE-634	6"	3/4" X 6" 6 WIRE NOZZLE EXTENSION
WNE-834	8"	3/4" X 8" 6 WIRE NOZZLE EXTENSION
WNE-1034	10"	3/4" X 10" 6 WIRE NOZZLE EXTENSION
WNE-1234	12"	3/4" X 12" 6 WIRE NOZZLE EXTENSION
WNF-1534	15"	3/4" X 15" 6 WIRF NOZZI F FXTENSION

6-WIRE NOZZLE EXTENSIONS 1/2"

WNE-412	4"	1/2" X 4" 6 WIRE NOZZLE EXTENSION
WNE-612	6"	1/2" X 6" 6 WIRE NOZZLE EXTENSION

4-WIRE NOZZLE EXTENSIONS 1"

W4-1	4"	1" X 4" 4 WIRE NOZZLE EXTENSION
W6-1	6"	1" X 6" 4 WIRE NOZZLE EXTENSION
W8-1	8"	1" X 8" 4 WIRE NOZZLE EXTENSION
W10-1	10"	1" X 10" 4 WIRE NOZZLE EXTENSION
W12-1	12"	1" X 12" 4 WIRE NOZZLE EXTENSION

4-WIRE NOZZLE EXTENSIONS 3/4"

4"	3/4" X 4" 4 WIRE NOZZLE EXTENSION
6"	3/4" X 6" 4 WIRE NOZZLE EXTENSION
8"	3/4" X 8" 4 WIRE NOZZLE EXTENSION
10"	3/4" X 10" 4 WIRE NOZZLE EXTENSION
12"	3/4" X 12" 4 WIRE NOZZLE EXTENSION
	6" 8" 10"







Southland Tool Catalog 22

4-WIRE NOZZLE EXTENSIONS 1/2"

W4-12	4"	1/2" X 4" 4 WIRE NOZZLE EXTENSION
W6-12	6"	1/2" X 6" 4 WIRE NOZZLE EXTENSION
W8-12	8"	1/2" X 8" 4 WIRE NOZZLE EXTENSION
W10-12	10"	1/2" X 10" 4 WIRE NOZZLE EXTENSION

FOOTBALL STYLE NOZZLE EXTENSIONS 1"

NFL-41	4"	1" X 4" FOOTBALL NOZZLE EXTENSION
NFL-61	6"	1" X 6" FOOTBALL NOZZLE EXTENSION
NFL-81	8"	1" X 8" FOOTBALL NOZZLE EXTENSION
NFL-101	10"	1" X 10" FOOTBALL NOZZLE EXTENSION
NFL-121	12"	1" X 12" FOOTBALL NOZZLE EXTENSION
NFL-151	15"	1" X 15" FOOTBALL NOZZLE EXTENSION

FOOTBALL STYLE NOZZLE EXTENSIONS 3/4"

NFL-434	4"	3/4" X 4" FOOTBALL NOZZLE EXTENSION
NFL-634	6"	3/4" X 6" FOOTBALL NOZZLE EXTENSION
NFL-834	8"	3/4" X 8" FOOTBALL NOZZLE EXTENSION
NFL-1034	10"	3/4" X 10" FOOTBALL NOZZLE EXTENSION
NFL-1234	12"	3/4" X 12" FOOTBALL NOZZLE EXTENSION

FOOTBALL STYLE NOZZLE EXTENSIONS 1/2"

NFL-412	4"	1/2" X 4" FOOTBALL NOZZLE EXTENSION
NFL-612	6"	1/2" X 6" FOOTBALL NOZZLE EXTENSION
NFL-812	8"	1/2" X 8" FOOTBALL NOZZLE EXTENSION
NFL-1012	10"	1/2" X 10" FOOTBALL NOZZLE EXTENSION

SUPER SHORT 8" FOOTBALL STYLE NOZZLE EXTENSIONS FOR 1" HOSE

NFL-41SS 4" 4" FOOTBALL NOZZLE EXTENSION 8" LONG
NFL-61SS 6" 6" FOOTBALL NOZZLE EXTENSION 8" LONG
NFL-81SS 8" FOOTBALL NOZZLE EXTENSION 8" LONG

FINNED NOZZLE EXTENSION WITH WHEELS 1"

WE-61	6"	1" WHEELED NOZZLE EXTENSION FOR 6" AND UP
WE-81	8"	1" WHEELED NOZZLE EXTENSION FOR 8" AND UP
WE-101	10"	1" WHEELED NOZZLE EXTENSION FOR 10" AND UP
WE-121	12"	1" WHEELED NOZZLE EXTENSION FOR 12" AND UP
WE-151	15"	1" WHEELED NOZZLE EXTENSION FOR 15" AND UP

FINNED NOZZLE EXTENSION WITH WHEELS 3/4"

WE-634	6"	3/4" WHEELED NOZZLE EXTENSION FOR 6" AND UP
WE-834	8"	3/4" WHEELED NOZZLE EXTENSION FOR 8" AND UP
WE-1034	10"	3/4" WHEELED NOZZLE EXTENSION FOR 10" AND UP
WE-1234	12"	3/4" WHEELED NOZZLE EXTENSION FOR 12" AND UP
WE-1534	15"	3/4" WHEELED NOZZLE EXTENSION FOR 15" AND UP

HEAVY DUTY TUBE STYLE EXTENSION (12" LONG)

TSE-1/2	8 lbs.	HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 1/2
TSE-3/4	9 lbs.	HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 3/4
TSE-1	10 lbs.	HEAVY DUTY TUBE STYLE NOZZLE EXTENSION 1"

SHORT 10 LEG PROOFERS

<u> </u>		<u> </u>
S-6	6"	SHORT PROOFER 6" O.D. X 1"
S-7.5	7.5"	SHORT PROOFER 7.5" O.D X 1"
S-8	8"	SHORT PROOFER 8" O.D X 1"
S-9.5	9.5"	SHORT PROOFER 9" O.D X 1"
S-10	10"	SHORT PROOFER 10" O.D X 1"
S-11.5	11.5"	SHORT PROOFER 11.5" O.D X 1"
S-12	12"	SHORT PROOFER 12" O.D X 1"
S-15	15"	SHORT PROOFER 15" O.D X 1"
S-18	18"	SHORT PROOFER 18" O.D X 1"

FOR ¾" PROOFER, ADD "34" AFTER PART NUMBER. SAME PRICE

LONG 10 LEG PROOFERS (REMOVABLE)

L-6	6"	LONG PROOFER 6" O.D. X 1"
L-7.5	7.5"	LONG PROOFER 7.5" O.D. X 1"
L-8	8"	LONG PROOFER 8" O.D. X 1"
L-9.5	9.5"	LONG PROOFER 9.5" O.D. X 1"
L-10	10"	LONG PROOFER 10" O.D. X 1"
L-11.5	11.5"	LONG PROOFER 11.5" O.D. X 1"
L-12	12"	LONG PROOFER 12" O.D. X 1"
L-15	15"	LONG PROOFER 15" O.D. X 1"
L-18	18"	LONG PROOFER 18" O.D. X 1"















SECTIONAL AND CONTINUOUS ROD, TOOLS AND ACCESSORIES

ADAPTER RODS

AR-1-1	5/16"	ADAPTER ROD
AR-1-2	3/8"	ADAPTER ROD
AR-1-SS	5/16"	SUPER SHORT
AR-1-2SS	3/8"	SUPER SHORT





PREMIUM PUMA RODS

STR-1-1	5/16" X 36"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-2	5/16" X 39"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-3	5/16" X 48"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-4	5/16" X 60"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-5	5/16" X 72"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-6	3/8" X 36"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-7	3/8"X 39"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-8	3/8" X 48*	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-9	3/8" X 60"	PREMIUM SEWER ROD COMPLETE WITH COUPLING
STR-1-10	3/8" X 72"	PREMIUM SEWER ROD COMPLETE WITH COUPLING



PUMA SILVER RODS

STB-1-1	5/16" X 36"	SEWER ROD COMPLETE WITH COUPLING
STB-1-2	5/16" X 39"	SEWER ROD COMPLETE WITH COUPLING
STB-1-3	5/16" X 48"	SEWER ROD COMPLETE WITH COUPLING
STB-1-4	5/16" X 60"	SEWER ROD COMPLETE WITH COUPLING
STB-1-5	5/16" X 72"	SEWER ROD COMPLETE WITH COUPLING
STB-1-6	3/8" X 36"	SEWER ROD COMPLETE WITH COUPLING
STB-1-7	3/8"X 39"	SEWER ROD COMPLETE WITH COUPLING
STB-1-8	3/8" X 48"	SEWER ROD COMPLETE WITH COUPLING
STB-1-9	3/8" X 60"	SEWER ROD COMPLETE WITH COUPLING
STB-1-10	3/8" X 72"	SEWER ROD COMPLETE WITH COUPLING



QUICK COUPLE RODS

ALL 5/16" RODS ARE AVAILABLE WITH QUICK CONNECT DISCONNECT SPRING LOADED PIN COUPLINGS. PLEASE ADD "R" TO PART NUMBER AND ADD \$10.00 TO EACH ROD OR TOOL



ROD TOOLS

PICK UP TOOLS

P1-1	5/16"	PICK UP TOOL FOR SECTIONAL ROD
P1-2	3/8"	PICK UP TOOL FOR SECTIONAL ROD
P1-3		PICK UP TOOL FOR CONTINUOUS ROD



SPEAR HEADS

B2-1	2"	SPEAR HEAD WITH 5/16" ADAPTER ROD AND COUPLING
B2-2	2"	SPEAR HEAD WITH 3/8" ADAPTER ROD AND COUPLING
B4-1	4"	SPEAR HEAD WITH 5/16" ADAPTER ROD AND COUPLING
B4-2	4"	SPEAR HEAD WITH 3/8" ADAPTER ROD AND COUPLING

PULL OUT TOOL

PULL OUT TOOL

ASSEMBLY TOOLS

T3-1

T3-2

T1-1 T1-2	3/8"	ASSEMBLY WRENCH ASSEMBLY WRENCH
T2-1 T2-2	5/16" 3/8"	ASSEMBLY TURNING HANDLE ASSEMBLY TURNING HANDLE



PULL OUT AND TURNING TOOLS 5/16" 3/8"

T4-1	5/16"	PULL OUT & TWISTING HANDLE
T4-2	3/8"	PULL OUT & TWISTING HANDLE



T5-1 BAR TURNING HANDLE FOR 5/16" AND 3/8"

Т8	1/4" - 3/8"	ROUND ROD PULL-OUT FITS TOOLS 1/4" TO 3/8"	
T11 T12	5/16" 5/16"	ROD TURNING RATCHET SINGLE FOR 5/16" RODS ROD TURNING RATCHET ONE MAN DOUBLE	
T13 T14	3/8" 3/8"	ROD TURNING RATCHET SINGLE FOR 3/8" RODS ROD TURNING RATCHET ONE MAN DOUBLE	
	RING TOOLS		
T6-1 T6-2	5/16" 3/8"	LOOP SWIVEL TOOL LOOP SWIVEL TOOL	
T7-1 T7-2	5/16" 3/8"	SAND LEADER WITH ADAPTER ROD & COUPLING SAND LEADER WITH ADAPTER ROD & COUPLING	
T9-1 T9-2	5/16" 3/8"	BULLET TOOL WITH ADAPTER ROD BULLET TOOL WITH ADAPTER ROD	
T10-1 T10-2	5/16" 3/8"	PILOT BULLET TOOL WITH PULLOUT SWIVEL WITH ADAPTER ROD PILOT BULLET TOOL WITH PULLOUT SWIVEL WITH ADAPTER ROD	
T15-1 T15-2	5/16" 3/8"	"WINTERS" ROOT SAW COUPLING. COMBINE WITH ANY 2 ROOT SAW "WINTERS" ROOT SAW COUPLING. COMBINE WITH ANY 2 ROOT SAW	
CONTINUOUS ROD TOOLS SEE NOTE: FOR ANY TOOL WITH SET SCREW COUPLING ADD "SS" AND EITHER 3 FOR .375, 4 FOR .393, 5 FOR .415 OR 6 FOR .461. USE 3/8" PRICE FOR EXAMPLE: T9-SS-3 BULLET TOOL WITH .375 SET SCREW COUPLING.			

CLEANING TOOLS

ROUND WIRE	CORKSCREW	<u>s</u>	
F1-1	1-1/2"	USE WITH 5/16" ROD	
F1-2	1-1/2"	USE WITH 3/8" ROD	•
F2-1	2"	USE WITH 5/16" ROD	
F2-2	2"	USE WITH 3/8" ROD	an w n
F3-1	3"	USE WITH 5/16" ROD	W A W
F3-1	3"	USE WITH 3/8" ROD	
F4-1	3-1/2"	USE WITH 5/16" ROD	
F4-2	3-1/2"	USE WITH 3/8" ROD	
F5-1	5"	USE WITH 5/16" ADAPTER RO	
F5-2	5"	USE WITH 3/8" ROD	
F6-1	6"	USE WITH 5/16" ADAPTER ROD	
F6-2	6"	USE WITH 3/8" ROD	
DOUBLE ROL	IND WIRE COR	KSCREWS A	\wedge
FD3-1	3"	USE WITH 5/16" ROD	\
FD3-2	3"	USE WITH 3/8" ROD	W W
FD4-1	4"	USE WITH 5/16" ROD	N/ Al
FD4-2	4"	USE WITH 3/8" ROD	\wedge \wedge
FD6-1	6"	USE WITH 5/16" ROD	
FD6-2	6"	USE WITH 3/8" ROD	
SAND CORKS	SCREWS		
G-3-1	3"	SAND CORKSCREW USE WITH 5/16" ROD	
G-3-2	3"	SAND CORKSCREW USE WITH 3/8" ROD	\sim
		1	000

NOTE: For any cleaning tool you can buy the tool only less the coupling and adapter rod by adding a "B" after the part number

25 January 2019

AUGERS

A2-1	2"	AUGER FOR 5/16" ROD
A2-2	2"	AUGER FOR 3/8" ROD
A3-1	3"	AUGER FOR 5/16" ROD
A3-2	3"	AUGER FOR 3/8" ROD
A4-1	4"	AUGER FOR 5/16" ROD
A4-2	4"	AUGER FOR 3/8" ROD
A5-1	5"	AUGER FOR 5/16" ROD
A5-2	5"	AUGER FOR 3/8" ROD
A6-1	6"	AUGER FOR 5/16" ROD
A6-2	6"	AUGER FOR 3/8" ROD
A8-1	8"	AUGER FOR 5/16" ROD
A8-2	8"	AUGER FOR 3/8" ROD
A10-1	10"	AUGER FOR 5/16" ROD
A10-2	10"	AUGER FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

SQUARE BAR CORKSCREWS

	, ,, , , , , , , , , , , , , , , , , ,	<u> </u>
E2-1	2"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E2-2	2"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E3-1	3"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E3-2	3"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E4-1	4"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E4-2	4"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E5-1	5"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E5-2	5"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E6-1	6"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E6-2	6"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E8-1	8"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E8-2	8"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E8-4	8" HD	8" HD SQUARE BAR CORKSCREW FOR 5/16"
E8-5	8" HD	8" HD SQUARE BAR CORKSCREW FOR 3/8"
E10-1	10"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E10-2	10"	SQUARE BAR CORKSCREW FOR 3/8" ROD
E12-1	12"	SQUARE BAR CORKSCREW FOR 5/16" ROD
E12-2	12"	SQUARE BAR CORKSCREW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

ROOT SAWS

STANDARD DUTY CONCAVE ROOT SAW

STANDARD	<u> </u>	ONCAVE ROOT SAW
CRS-3-1	3"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-3-2	3"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-4-1	4"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-4-2	4"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-5-1	5"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-5-2	5"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-6-1	6"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-6-2	6"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-8-1	8"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-8-2	8"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-10-1	10"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-10-2	10"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-12-1	12"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-12-2	12"	CONCAVE ROOT SAW FOR 3/8" ROD
CRS-15-1	15"	CONCAVE ROOT SAW FOR 5/16" ROD
CRS-15-2	15"	CONCAVE ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 \odot . \odot for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

NOTE: For any cleaning tool you can buy the tool only less the coupling and adapter rod by adding a "B" after the part number

STANDARD DUTY FLAT ROOT SAWS

FRS-3-1	3"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-3-2	3"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-4-1	4"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-4-2	4"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-6-1	6"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-6-2	6"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-8-1	8"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-8-2	8"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-10-1	10"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-10-2	10"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-12-1	12"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-12-2	12"	STANDARD FLAT ROOT SAW FOR 3/8" ROD
FRS-15-1	15"	STANDARD FLAT ROOT SAW FOR 5/16" ROD
FRS-15-2	15"	STANDARD FLAT ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

HEAVY DUTY CONCAVE ROOT SAWS

001107	TVE ITOUT OF TIVE	
3"	CONCAVE ROOT SAW FOR 5/16" ROD HD	,
3"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
4"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
4"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
5"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
5"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
6"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
6"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
8"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
8"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
10"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
10"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
12"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
12"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
15"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
15"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
18"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
18"	CONCAVE ROOT SAW FOR 3/8" ROD HD	
20"	CONCAVE ROOT SAW FOR 5/16" ROD HD	
20"	CONCAVE ROOT SAW FOR 3/8" ROD	
	3" 3" 4" 4" 5" 5" 6" 6" 8" 10" 12" 15" 15" 18" 20"	3" CONCAVE ROOT SAW FOR 3/8" ROD HD 4" CONCAVE ROOT SAW FOR 5/16" ROD HD 4" CONCAVE ROOT SAW FOR 3/8" ROD HD 5" CONCAVE ROOT SAW FOR 5/16" ROD HD 6" CONCAVE ROOT SAW FOR 5/16" ROD HD 6" CONCAVE ROOT SAW FOR 3/8" ROD HD 8" CONCAVE ROOT SAW FOR 5/16" ROD HD 8" CONCAVE ROOT SAW FOR 5/16" ROD HD 10" CONCAVE ROOT SAW FOR 5/16" ROD HD 10" CONCAVE ROOT SAW FOR 5/16" ROD HD 10" CONCAVE ROOT SAW FOR 5/16" ROD HD 12" CONCAVE ROOT SAW FOR 5/16" ROD HD 15" CONCAVE ROOT SAW FOR 5/16" ROD HD 15" CONCAVE ROOT SAW FOR 5/16" ROD HD 15" CONCAVE ROOT SAW FOR 5/16" ROD HD 18" CONCAVE ROOT SAW FOR 5/16" ROD HD 18" CONCAVE ROOT SAW FOR 5/16" ROD HD 18" CONCAVE ROOT SAW FOR 5/16" ROD HD 20" CONCAVE ROOT SAW FOR 5/16" ROD HD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

HEAVY DUTY FLAT ROOT SAWS

HEAVY DU	JIT FLAI RU	UT SAWS
HFRS-3-1	3"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-3-2	3"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-4-1	4"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-4-2	4"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-5-1	5"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-5-2	5"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-6-1	6"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-6-2	6"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-8-1	8"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-8-2	8"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-10-1	10"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-10-2	10"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-12-1	12"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-12-2	12"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-15-1	15"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-15-2	15"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-18-1	18"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-18-2	18"	HD FLAT ROOT SAW FOR 3/8" ROD
HFRS-20-1	20"	HD FLAT ROOT SAW FOR 5/16" ROD
HFRS-20-2	20"	HD FLAT ROOT SAW FOR 3/8" ROD



Set Screw Ends: For Set Screw Coupling Add "SS" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod. Direct Hook Ends: For Direct Hook End Add "DH" and Either 3 for .375, 4 for .393, 5 for .415 or 6 for .461 rod.

ROOT SAW BLADES ONLY

STANDARD CONCAVE ROOT SAW BLADES 1/8" THICK

CRS-3B	3"	CONCAVE ROOT SAW BLADE ONLY
CRS-4B	4"	CONCAVE ROOT SAW BLADE ONLY
CRS-5B	5"	CONCAVE ROOT SAW BLADE ONLY
CRS-6B	6"	CONCAVE ROOT SAW BLADE ONLY
CRS-8B	8"	CONCAVE ROOT SAW BLADE ONLY
CRS-10B	10"	CONCAVE ROOT SAW BLADE ONLY
CRS-12B	12"	CONCAVE ROOT SAW BLADE ONLY

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

STANDARD FLAT ROOT SAW BLADES 1/8" THICK

FRS-3B	3"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-4B	4"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-6B	6"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-8B	8"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-10B	10"	STANDARD FLAT ROOT SAW BLADE ONLY
FRS-12B	12"	STANDARD FLAT ROOT SAW BLADE ONLY

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

HEAVY DUTY CONCAVE ROOT SAW BLADES 3/16" THICK

HCRS-3B	3"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-4B	4"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-5B	5"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-6B	6"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-8B	8"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-10B	10"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-12B	12"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-15B	15"	HD CONCAVE ROOT SAW BLADE ONLY
HCRS-18B	18"	HD CONCAVE ROOT SAW BLADE ONLY
HCDS 20B	20"	HD CONCAVE POOT SAW BLADE ONLY

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

HEAVY DUTY FLAT ROOT SAW BLADES3/16" THICK

HFRS-3B	3"	HD FLAT ROOT SAW BLADE ONLY 🖠
HFRS-4B	4"	HD FLAT ROOT SAW BLADE ONLY
HFRS-5B	5"	HD FLAT ROOT SAW BLADE ONLY
HFRS-6B	6"	HD FLAT ROOT SAW BLADE ONLY
HFRS-8B	8"	HD FLAT ROOT SAW BLADE ONLY
HFRS-10B	10"	HD FLAT ROOT SAW BLADE ONLY
HFRS-12B	12"	HD FLAT ROOT SAW BLADE ONLY
HFRS-15B	15"	HD FLAT ROOT SAW BLADE ONLY
HFRS-18B	18"	HD FLAT ROOT SAW BLADE ONLY
HFRS-20B	20"	HD FLAT ROOT SAW BLADE ONLY

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

SPIRAL ROOT SAW BLADES 5/32" THICK

<u> </u>	<u> </u>	TO THE TAX
SRS-4B	4"	SPIRAL ROOT SAW FOR 4" PIPE BLADE ONLY
SRS-6B	6"	SPIRAL ROOT SAW FOR 6" PIPE BLADE ONLY
SRS-8B	8"	SPIRAL ROOT SAW FOR 8" PIPE BLADE ONLY
SRS-10B	10"	SPIRAL ROOT SAW FOR 10" PIPE BLADE ONLY
SRS-12B	12"	SPIRAL ROOT SAW FOR 12" PIPE BLADE ONLY
SRS-15B	15"	SPIRAL ROOT SAW FOR 15" PIPE BLADE ONLY
SRS-18B	18"	SPIRAL ROOT SAW FOR 18" PIPE BLADE ONLY

ANY SAW IS AVAILABLE WITH A WELDED ON 1" ARBOR HUB FOR \$60.00 ADD "WH" TO PART NUMBER

COLORADO STYLE SAW BLADE 3/16" THICK

H-CRS-7C 7" OVERLAP COLORADO WHITE SAW








ADDITIONAL CLEANING TOOLS

PORCUPINES

I OITOOI IITEO		
D-4-1	4"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-4-2	4"	PORCUPINE TURN TYPE FOR 3/8 ROD
D-6-1	6"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-6-2	6"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-8-1	8"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-8-2	8"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-10-1	10"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-10-2	10"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-12-1	12"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-12-2	12"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-15-1	15"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-15-2	15"	PORCUPINE TURN TYPE FOR 3/8" ROD
D-18-1	18"	PORCUPINE TURN TYPE FOR 5/16" ROD
D-18-2	18"	PORCUPINE TURN TYPE FOR 3/8" ROD



ALSO AVAILABLE IN PULL TYPE. PP-6, PP-8, PP-10 ETC... SAME PRICE

SEWER BRUSH FOR SWABBING / FINISHING LINE

C-4-1	4"	STEEL SEWER BRUSH FOR 5/16" ROD
C-4-2	4"	STEEL SEWER BRUSH FOR 3/8 ROD
C-6-1	6"	STEEL SEWER BRUSH FOR 5/16" ROD
C-6-2	6"	STEEL SEWER BRUSH FOR 3/8" ROD
C-8-1	8"	STEEL SEWER BRUSH FOR 5/16" ROD
C-8-2	8"	STEEL SEWER BRUSH FOR 3/8" ROD
C-10-1	10"	STEEL SEWER BRUSH FOR 5/16" ROD
C-10-2	10"	STEEL SEWER BRUSH FOR 3/8" ROD
C-12-1	12"	STEEL SEWER BRUSH FOR 5/16" ROD
C-12-2	12"	STEEL SEWER BRUSH FOR 3/8" ROD





3 BLADE CUTTERS CHUCKS

CH-1-1	5/16"	CHUCK WITH ADAPTER ROD
CH-1-2	3/8"	CHUCK WITH ADAPTER ROD
CH-1-3	.375	CHUCK WITH SET SCREW CONNECTION
CH-1-4	.393	CHUCK WITH SET SCREW CONNECTION
CH-1-5	.415	CHUCK WITH SET SCREW CONNECTION
CH-1-6	.461	CHUCK WITH SET SCREW CONNECTION

SELECT CURVED BLADE FOR 3 BLADE CUTTER

<u> </u>	CONVED DEAL	DETOK 3 DEADE COTTEK _
CB-4	4"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-6	6"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-8	8"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-10	10"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-12	12"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-15	15"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
CB-18	18"	CURVED BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE



FOR FULL SIZE ADD "FS" AND \$2.00 TO EACH BLADE

SELECT FLAT BLADES FOR 3 BLADE CUTTER

FB-4	4"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-6	6"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-8	8"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-10	10"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-12	12"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-15	15"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE
FB-18	18"	FLAT BLADE FOR 3 BLADE CHUCK. PRICE PER BLADE



29 January 2019

POWER ROD DRIVE TRAILER AND ACCESSORIES

DOWED DDIV	- 0		
POWER DRIVI SPD-3	3 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"	
SPD-6.5	6.5 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"	
SPD-8	8 HP	Power Drive Units Include Speed-Chuck, Specify 5/16" or 3/8"	
SPD-8H	8 HP	Honda Engine	
RR-1-1		. Made from $lac{1}{2}$ " round bar. 500' capacity. Can be the ither the tripod steel stand or trailer type	
RR-1-2		stand street type. Guide tube with articulated elbow. upport the reel at perfect angle for pay-out	
RR-1-3	Rod reel stand trailer type. Same guide tube but the mounting plate to attach to trailer. Also can be modified to fit your truck		
RR-1-4	Lower manhole rigid rod guide. Connects to 1.5" pipe to allow the rods to enter the sewer at the correct angle		
RR-1-5	Foot jack support. Keeps pressure in the guide system by supporting the guide against back wall of manhole		
RR-1-6	Back jack support. Keeps pressure in the guide system by supporting the guide against back wall of manhole		
RR-1-7	Manhole jack support. Used to support the 1.5" guide tube against the manhole ring		
RR-1-8	Complete manhole set-up kit with 21' of galvanized. Comes with 21' of pipe in sections and RR1-4, RR1-5, RR1-6, and RR1-7		
H-10-1	Carry all trailer. Can carry all your tools, rods and powerdrive to the job site. Includes a lockable and an open tool box. Comes with a standard 2" ball hitch and swivel 3rd wheel		
H-11-1	Stop, tail	& turning lights	
H-12-1	Pintle rin	g hitch	
H-13-1	Electric b	prakes	





	CONTINUOUS ROD AND RODDER ACCESSORIES
CONTINUIOUS	ROD GUIDE HOSES
LW-7	7' Lightweight Hose Guide With Flex-Metallic Liner
LW-10	10' Lightweight Hose Guide With Flex-Metallic Liner
LW-15	15' Lightweight Hose Guide With Flex-Metallic Liner
LW-18	18' Lightweight Hose Guide With Flex-Metallic Liner
LW-20	20' Lightweight Hose Guide With Flex-Metallic Liner
LW-22	22' Lightweight Hose Guide With Flex-Metallic Liner
LW-24	24' Lightweight Hose Guide With Flex-Metallic Liner
LW-25	25' Lightweight Hose Guide With Flex-Metallic Liner
	- Lines
HD-7	7' Heavy Duty Hose Guide With Metallic Liner
HD-10	10' Heavy Duty Hose Guide With Metallic Liner
HD-15 HD-18	15' Heavy Duty Hose Guide With Metallic Liner 18' Heavy Duty Hose Guide With Metallic Liner
HD-20	20' Heavy Duty Hose Guide With Metallic Liner
HD-22	22' Heavy Duty Hose Guide With Metallic Liner
HD-24	24' Heavy Duty Hose Guide With Metallic Liner
HD-25	25' Heavy Duty Hose Guide With Metallic Liner
HDS-7	7' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-10	10' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner steel Spring Liner
HDS-15	15' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-18	18' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-20	20' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner 22' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-22 HDS-24	Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
HDS-25	25' Heavy Duty Hose Guide With Heavy Duty Steel Spring Liner
1150 20	Thousand Thousand The Thousand The Thousand The Thousand
LW-15BF	15' Below Freezing Hose Guide With Flex-Metallic Liner
LW-18BF	18' Below Freezing Hose Guide With Flex-Metallic Liner
LW-20BF	20' Below Freezing Hose Guide With Flex-Metallic Liner
LW-22BF	22' Below Freezing Hose Guide With Flex-Metallic Liner
LW-24BF	24' Below Freezing Hose Guide With Flex-Metallic Liner
LW-25BF	25' Below Freezing Hose Guide With Flex-Metallic Liner
SPECIAL HD	
CAM-LOCK ENDS	With 2" heavy duty iron Cam-Lock fitting male end
	add "MI" to part number or add female end add "FI" to part number
Example:	7' light rod guide hose with male 2": heavy duty iron Cam Lock
	fittings part No. LW-7MI \$535.00 + \$120.00 = \$655.00
STEEL ENDS*	ANY ABOVE HOSE CAN BE ORDERED WITH STEEL ENDS
	BY ADDING "SE" TO PART NUMBER AND ADDING \$150.00, COMES WITH FEMALE END FOR HOSE GUIDE BELL AND
	STEEL MALE END FOR RODDING MACHINE
	STEEL MALE END FOR ROBBING MACHINE
HGB	HOSE GUIDE BELL
SPB	SINGLE PRONG BRACE WITH CHAIN AND ROPE
SPR	SINGLE PRONG BRACE WITH RING AND ROPE
1100	LIGOT OLUBE STAND
HGS	HOSE GUIDE STAND
SME	STEEL MALE END
SME-1M	STEEL MALE END WITH STEEL 2" CAMLOCK
SFE	STEEL FEMALE FOR BELL FOR HOSE GUIDE BELL
SCL-1	STEEL FEMALE X FEMALE STRAIGHT COUPLER
SCL-2	SET OF CLAMPS FOR ATTACHED STEEL ENDS TO HOSE
JUL-2	CET OF CENTRE OF CITAL PACIFIED OF ELECTIONS TO FIGURE
SCL-3	ALUMINUM BELL END FOR GUIDE HOSE
SCL-4	ALUMINUM MALE END FOR GUIDE HOSE
SCL-5	INSERT GUIDE
SCL-6	LIGHTWEIGHT FLEX-METALLIC LINER AND LW HOSE (PER FOOT)
SCL-7 SCL-8	HEAVY DUTY HOSE WITH FLEX-METALLIC LINER (PER FOOT) FLEX-METALLIC LINER ONLY (PER FOOT)
OOL-U	TELY MEDIALIS CHALLOUS (LENTOOL)
31	

CONTINUOUS ROD

CONTINUOUS ROD PRICE PER FOOT

STC-1-2	0.375	Continuous Rod
STC-1-3	0.393	Continuous Rod
STC-1-4	0.415	Continuous Rod
STC-1-5	0.461	Continuous Rod



CONTINUOUS ROD TRANSFER RACK

CRTR-1 6 SPOKE HEAVY DUTY TRANSFER RACK. 6 SPOKE AND GUIDE ARM

ADAPTER COUPLINGS



AC-1-1	0.375	Set screw type, to 3/8"COARSE RH THREAD
AC-1-2	0.393	Set screw type, to 3/8" COARSE RH THREAD
AC-1-4	0.461	Set screw type, to 3/8" COARSE RH THREAD
AC-2-1	0.375	Fine LH thread Hook, to 5/16" COARSE RH THREAD
AC-2-2	0.393	Fine LH thread Hook, to 5/16" COARSE RH THREAD
AC-2-4	0.461	Fine LH thread Hook , to 5/16" COARSE RH THREAD
AC-3-1	0.375	Set screw type, to 5/16" COARSE RH THREAD
AC-3-2	0.393	Set screw type, to 5/16" COARSE RH THREAD
AC-3-4	0.461	Set screw type, to 5/16" COARSE RH THREAD
AC-4-1	0.375	Fine LH thread hook, to 3/8" COARSE RH THREAD
AC-4-2	0.393	Fine LH thread hook, to 3/8" COARSE RH THREAD
AC-4-4	0.461	Fine LH thread hook , to 3/8" COARSE RH THREAD



CN-1-1	5/16"	Course Thread Right Hand Nut
CN-1-2	5/16"	Fine Thread Left Hand Nut
CN-1-3	3/8"	Course Thread Right Hand Nut
CN-1-4	3/8"	Fine Thread Left Hand Nut
CN-1-5	0.375	Course Thread Right Hand Nut
CN-1-6	0.375	Fine Thread Left Hand Nut
CN-1-7	0.393	Course Thread Right Hand Nut
CN-1-8	0.393	Fine Thread Left Hand Nut
CN-1-11	0.461	Course Thread Right Hand Nut
CN-1-12	0.461	Fine Thread Left Hand Nut



CC-1-1 5/16" CC-1-2 3/8"

COLIDI INICE	FOR SQUARE	STOCK	
COUPLINGS	FUR OUUMNE	SIUCK	CURNACHEV

CS-1-1	5/16"	To Be Used With Adapter Rods
CS-1-2	3/8"	To Be Used With Adapter Rods
CS-1-3	0.375	With Set Screw Connections
CS-1-4	0.393	With Set Screw Connections
CS-1-6	0.461	With Set Screw Connections
CS-1-7	0.375	With Hook Type Connection
CS-1-8	0.393	With Hook Type Connection
CS-1-10	0.461	With Hook Type Connection

COUPLINGS FOR STANDARD ROOT SAW

<u> </u>	LINGS I OK STANDAKD	INOUT DAVE
CR1-1	5/16"	To Be Used With Adapter Rods
CR1-2	3/8"	To Be Used With Adapter Rods
CR1-3	0.375	With Set Screw Connections
CR1-4	0.393	With Set Screw Connections
CR1-6	0.461	With Set Screw Connections
CR1-7	0.375	With Hook Type Connection
CR1-8	0.393	With Hook Type Connection
CR1-10	0.461	With Hook Type Connection

QUICK CONNECT COUPLINGS

QCP-1	5/16"	Quick Connect Female Coupling for 5/16" Rods
QCM-1	5/16"	Quick Connect Male Coupling for 5/16" Rods
QCF-2	1/4"	Quick Connect Female Coupling for 1/4" Rods
QCM-2	1/4"	Quick Connect Male Coupling for 1/4" Rods











Southland Tool Catalog 32

COUPLINGS FOR HD ROOT SAWS

CRHD-1	5/16"	To Be Used With Adapter Rods
CRHD-2	3/8"	To Be Used With Adapter Rods
CRHD-3	0.375	With Set Screw Connections
CRHD-4	0.393	With Set Screw Connections
CRHD-6	0.461	With Set Screw Connections
CRHD-7	0.375	With Hook Type Connection
CRHD-8	0.393	With Hook Type Connection
CRHD-9	0.415	With Hook Type Connection
CRHD-10	0.461	With Hook Type Connection



CA-1-1	5/16"	To Be Used With Adapter Rods
CA-1-2	3/8"	To Be Used With Adapter Rods
CA-1-3	0.375	With Set Screw Connections
CA-1-4	0.393	With Set Screw Connections
CA-1-6	0.461	With Set Screw Connections
CA-1-7	0.375	With Hook Type Connection
CA-1-8	0.393	With Hook Type Connection
CA-1-9	0.415	With Hook Type Connection
CA-1-10	0.461	With Hook Type Connection

COUPLINGS FOR AUGERS 6". 10" AND UP

OCCI LIIV	<u> 30 I OK AUGE</u>	INO 0 ; IO AND OI
CA-2-1	5/16"	To Be Used With Adapter Rods
CA-2-2	3/8"	To Be Used With Adapter Rods
CA-2-3	0.375	With Set Screw Connections
CA-2-4	0.393	With Set Screw Connections
CA-2-6	0.461	With Set Screw Connections
CA-2-7	0.375	With Hook Type Connection
CA-2-8	0.393	With Hook Type Connection
CA-2-9	0.415	With Hook Type Connection
CA-2-10	0.461	With Hook Type Connection



P5-7 PICK-UP TOOL WITH COILED PIG TAIL

P5-8 ASSEMBLY TOOL FOR NO. 5 RODS

P5-9 ELECTRIC DRILL ADAPTER

P5-10 PULL OUT TURNING HANDLE

P-5SET COMPLETE NO. 5 SET IS COMPRISED OF:

17 each P5-13 (1/4" x 6' rods), 1 each of P5-1 Rod Frame, 1 each of P5-2 2" Corkscrew, 1 each of P5-3 4" Double Corkscrew, 1 each of P5-4 4" Corkscrew, 1 each of P5-5-3 3" Root Cutter, 1 each of P5-6 Spear Head, 1 each of P5-7 Pick-Up Tool, 1 Each of P5-8 Spear Head, 1 each of P5-9 Electric Drill Adapter,

P5-10


1 each of P5-10 Turning, Handle.

Add "B" to any tool above for a pig tail with a "B" nut, and Add \$3.00 Each

ADD "M" TO ANY ABOVE CLEANING TOOL FOR A 5/16" PIGTAIL FOR AN ADDITIONAL \$15.00 (LIST)



"B" PLUMBERS RODS AND TOOLS



ΡВ COMPLETE "B" PLUMBERS SET

SET INDLUDES 17 RODS AND 1 EACH OF ALL TOOLS ABOVE EXCEPT PB-9, PB-10 AND PB-5-2

SPECIAL COILED SPRING ITEMS

1" O.D. OF 1/4" WIRE X 12" LONG WITH RH X LH 5/16" NUTS SSU-1 UNIVERSAL SPRINGS 1.25" DIA X 12" LONG WITH 5/16" LHXRH SSU-2 SSCR-3 1" X 3' COILED ROD WITH RH X LH 5/16" NUTS SCR-25 1" X 25' COILED ROD WITH 5/16" PIGS TAILS EACH SIDE 1" X 3' COILED ROD WITH AUGER COUPLING X 5/16" PIG SCR-3A PF-7 1" X 25' COILED ROD 1/4" PLUMBER TOOL MALE X FEMALE PF-20M 1" X 3' LONG COILED ROD WITH 3" ROOT SAW X 5/16" 1" X 3' LONG COILED ROD WITH 4" ROOT SAW X 5/16" PF-21M PF-22M 1" X 3' LONG COILED ROD WITH 6" ROOT SAW X 5/16" PF-8 1" FEMALE COILED ROD COUPLER PF-9 1" MALE COILED ROD COUPLER



VALVES AND SWIVELS

VALVES BHK-1-2 S-21 1" 2-WAY BALL VALVE 5000 PSI BHK-3/4-2 S-234 3/4" 2-WAY BALL VALVE 5000 PSI BHK-114-2 S-2125 11/4" 2-WAY BALL VALVE 5000 PSI BHK-1-3 S-31 1" 3-WAY BALL VALVE 5000 PSI BHK-3-3/4 S-334 3/4" 3-WAY BALL VALVE 5000 PSI

HOSE REEL SWIVELS

SSE-1E	1"	90° SWIVEL
SSE-12E	11/4"	90° SWIVEL
SSE-34E	3/4"	90° SWIVEL



Southland Tool Catalog

MANHOLE HOOKS

POOK DOUBLE SIDED PICK AND MANHOLE HOOK

This is the famous Pook that is well known in cities across America for those who want the toughest manhole hook. Hook and Pick combined to make a "Pook". One side of the 2 sided head is a sharp pick to chip away at asphalt or any other hard surface. The other side has a hook that has the perfect angle to fit in the hole and lift up any manhole lid. This complete unit is made from 4130 high carbon steel that is heat treated to exacting numbers. The handle is 3/4" thick!! Nice triangle flat against your palm. Powder coated

safety orange

MANHOLE HOOK, TRIANGLE HANDLE, 39" LONG, 90° MSRH-1

MANHOLE HOOK, TRIANGLE HANDLE, 27" LONG, FLAT MSRH-2

MSRH-3 MANHOLE HOOK, TRIANGLE HANDLE, 39" LONG, FLAT

MSRT-1 "T" HANDLE MANHOLE HOOK, 39" LONG FLAT

SAND TRAPS

SST-6	6"	SAND TRAP WITH ROPE 25'
SST-8	8"	SAND TRAP WITH ROPE 25'
SST-10	10"	SAND TRAP WITH ROPE 25'
SST-12	12"	SAND TRAP WITH ROPE 25'
SST-15	15"	SAND TRAP WITH ROPE 25'
SST-18	18"	SAND TRAP WITH ROPE 25'
SST-20	20"	SAND TRAP WITH ROPE 25'

SPECIALTY TOOLS NOT OTHERWISE ACCOUNTED FOR

MAGNETIC VALVE BOX LIFTER.

The Valve Box Lifter packs a punch with 100 lb. magnet strength. MVBL-1

Equipped with a 30" long T handle, it's easy to place on the cover and lift up.

FIBERGLASS POLE SUPPORT BRACKET

POLE SUPPORT BRACKET WITH WINGED HINGE

This handy tool will keep your pole supported above manhole rim. Hinged in middle so it folds up and is easy to store. Interior rubber gasket keeps pole in place.

INSERT NOZZLE GUIDE



1) Place hose in Jaws

2) Close Jaws around hose

3) Lower the guide into place

4) Pull rope and release hose and nozzle

This device connects to our interlocking pole systems. Essentially it will grab and lock the end of your hose where the nozzle is so the operator can put it where he wants. The sewer or duct might be submerged, blind, raised or dropped. Once you have the nozzle securely attached in the jaws you can lower the hose and nozzle into the manhole to the depth you need. At this point you just direct the end of the guide into the sewer line and insert it. At this point you can open the water flow so that your nozzle will take off in the line once you open the guide jaws. With a slight "tug" on the rope you will open the jaws and release the hose and nozzle. YOU'RE DONE. PULL UP GUIDE TO THE STREET.

INSERT GUIDE ONLY. INCLUDES 25' NYLON ROPE. CONNECTS TO OUR QUICK CONNECT POLE SYSTEM. ING-SS

ING-SS-24K INSERT NOZZLE GUIDE KIT INCLUDES 25' FIBERGLASS POLES AND 25' NYLON ROPE



PULL THE ROPE AND JAWS **RFI FASE**

January 2019



New Product MAGNETIC BOOM MANHOLE LIFTER

Easily attaches to the end of your boom hose. Either flat flange, male or female *BAND-LOCK* type. Weights 25lbs with 600lbs. capacity.

- -Attach to Boom
- -Lower onto Manhole lid
- -Lift off and Detach.

MBL-61 LIFTER WITH 6" FLAT FLANGE 'VACTOR - VAC-CON'
MBL-81 LIFTER WITH 8" FLAT FLANGE 'VACTOR - VAC-CON'



MBL-82 LIFTER WITH 8" FEMALE FLANGE 'CAMEL - VAC-ALL' MBL-62 LIFTER WITH 6" FEMALE FLANGE 'CAMEL - VAC-ALL'



MBL-63 LIFTER WITH 6" MALE FLANGE 'CAMEL - VAC-ALL'
MBL-83 LIFTER WITH 8" MALE FLANGE 'CAMEL - VAC-ALL'








ALUMINUM ROLLER GRILL MANHOLE SAFETY COVER FOR VIDEO INSPECTION AND SEWER HOSE CLEANING

For 20" - 26"

SMR-28A

This lightweight all aluminum manhole safety roller grill reduces the possibility to zero of falling into the manhole. Made of aluminum with an aluminum roller and powder coated red it is easy to see. Unique design has hand opening to allow tightening of 4 support screws. Just 15 lbs.








SMR-28N SAME ALUMINUM ROLLER GRILL MANHOLE SAFETY COVER BUT WITH HIGH DENSITY NYLON ROLLER FOR EVEN LIGHTER WEIGHT. JUST 11 LBS.

Southland Tool Catalog 36



1430 N. Hundley St. Anaheim, CA 92806

Tel: 714.632.8198 • Fax: 714.632.8228

www.southlandtool.com • sales@southlandtool.com